

Safety data sheet

Page: 1/21

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.10.2020 Version: 3.0
Date previous version: 07.10.2020 Previous version: 2.0

Product: **Diadem XE**

(ID no. 30752605/SDS_CPA_GB/EN)

Date of print 07.10.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Diadem XE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF plc
PO Box 4, Earl Road, Cheadle Hulme,
Cheadle, Cheshire
SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral) Skin Corr./Irrit. 2 Skin Sens. 1 Eye Dam./Irrit. 1

Acute Tox. 4 (Inhalation - mist)

STOT SE 3

Repr. Additional category for effects on or via lactation. Aquatic Chronic 2

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:



Signal Word:

Danger

Hazard Statement:

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H362 May cause harm to breast-fed children.

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

Precautionary Statements (Prevention):

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

P280

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020
Obtain special instructions before use.
Do not breathe mist/spray.
Avoid contact during pregnancy and while nursing.
Wash contaminated body parts thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.

Precautionary Statements (Response):

P304 + P34	0	IF INHALED): Remove	perso	on to 1	fresh a	ıir and	keep	o cc	omf	orta	ble fo	or
		breathing.											
							-					_	

Wear protective gloves/clothing/eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER or physician.

P310 Immediately call a POISON CENTER or physician.

P330 Rinse mouth

P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal

contractor or collection site except for empty clean containers which can

be disposed of as non-hazardous waste.

Labeling of special preparations (GHS):

May produce an allergic reaction.

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad, 1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -methyl-, N,N-Dimethyldecan-1-amide, N,N-Dimethyloctanamide

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: **Diadem XE**

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -methyl-

Content (W/W): 9.89 % Skin Sens. 1
CAS Number: 1417782-03-6 Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 1
M factor shronics

M-factor chronic: 1 H317, H400, H410

1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-;

Fluxapyroxad

Content (W/W): 4.7 % Repr. Add. cat. lact.
CAS Number: 907204-31-3 Aquatic Acute 1
Aquatic Chronic 1

H362, H400, H410

N,N-Dimethyldecan-1-amide

Content (W/W): < 25 % Skin Corr./Irrit. 2 CAS Number: 14433-76-2 Eye Dam./Irrit. 2

EC-Number: 238-405-1 STOT SE 3 (irr. to respiratory syst.)

REACH registration number: 01- Aquatic Chronic 3

2119485027-36 H319, H315, H335, H412

N,N-Dimethyloctanamide

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: **Diadem XE**

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

Content (W/W): < 20 % Skin Corr./Irrit. 2 CAS Number: 1118-92-9 Eye Dam./Irrit. 1

EC-Number: 214-272-5 STOT SE 3 (irr. to respiratory syst.)

REACH registration number: 01- H318, H315, H335

2119974106-36

acetophenone

Content (W/W): < 10 % Acute Tox. 4 (oral) CAS Number: 98-86-2 Eye Dam./Irrit. 2 EC-Number: 202-708-7 H319, H302

REACH registration number: 01-

2119533169-37

INDEX-Number: 606-042-00-1

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 thro ugh C16 and boiling in the range of approximately 165 oC to 290 oC (330 oF to 554 oF).]

Content (W/W): < 10 % Asp. Tox. 1
CAS Number: 64742-94-5 Aquatic Chronic 2
REACH registration number: 012119451097-39 EUH066

Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-

Content (W/W): < 5 % Aquatic Chronic 3

CAS Number: 99734-09-5 H412

Methyl-Oxirane, Blockpolymer with Oxirane, Monoisotridecyl ether

Content (W/W): < 5 % Eye Dam./Irrit. 2

CAS Number: 196823-11-7 H319

2-methylnaphthalene

Content (W/W): < 5 % Acute Tox. 4 (oral)
CAS Number: 91-57-6 Aquatic Chronic 2
EC-Number: 202-078-3 H302, H411

REACH registration number:

01-2119489455-25

Naphthalene, 1-methyl-

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: **Diadem XE**

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

Content (W/W): < 3 % CAS Number: 90-12-0 EC-Number: 201-966-8 REACH registration number: 01-

2119489997-0

Acute Tox. 4 (oral) Aquatic Chronic 2 H302, H411

biphenyl

Content (W/W): < 1 % CAS Number: 92-52-4 EC-Number: 202-163-5

REACH registration number: 01-

2119480408-33

INDEX-Number: 601-042-00-8

Skin Corr./Irrit. 2 Eye Dam./Irrit. 2

STOT SE 3 (irr. to respiratory syst.)

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1

H319, H315, H335, H400, H410

2-Pyrrolidone

Content (W/W): < 0.5 % CAS Number: 616-45-5 EC-Number: 210-483-1

REACH registration number: 01-

2119475471-37

Eye Dam./Irrit. 2 Repr. 1B (unborn child)

H319, H360D

Specific concentration limit: Repr. 1B, unborn child: 3 %

Phenanthrene

Content (W/W): < 0.5 % CAS Number: 85-01-8 EC-Number: 201-581-5

Acute Tox. 4 (oral) Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 1 H302, H400, H410

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

Show container, label and/or safety data sheet to physician.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, nitrogen oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: **Diadem XE**

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: -10 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: liquid
Colour: dark yellow
Odour: mild, aromatic

Odour threshold:

Not determined since harmful by

inhalation.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

pH value: approx. 5 - 7

(CIPAC standard water D, 1 %(m),

23 °C)

Freezing point: < -20 °C Boiling point: > 190 °C

The statements are based on the

properties of the individual

components.

Flash point: 112 °C

Evaporation rate:

not applicable

Flammability: not highly flammable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: 380 °C

Vapour pressure: approx. 1 hPa

(15 °C)

Information applies to the solvent.

Density: approx. 1.02 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: emulsifiable

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: 320 °C, 20 kJ/kg, (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

Viscosity, dynamic: approx. 76 mPa.s (OECD 114)

(20 °C, 100 1/s)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 300 - < 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 1.9 - < 5.1 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (Limit test)

No mortality was observed.

<u>Irritation</u>

Assessment of irritating effects:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Skin contact causes irritation. Not irritating to the eyes.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 439)

Serious eye damage/irritation rabbit: Slightly irritating. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Sensitization after skin contact possible.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: sensitizing (similar to OECD guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-

biphenyl]-2-yl)-; Fluxapyroxad Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-: Fluxapyroxad

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N,N-Dimethyldecan-1-amide

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: N,N-Dimethyloctanamide

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: 2-Pyrrolidone Assessment of teratogenicity:

Causes developmental effects in animals at high, maternally toxic doses. After the uptake of small doses toxicity to development will not be expected in humans.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -methyl-

Assessment of repeated dose toxicity:

Repeated oral exposure to large quantities may affect certain organs. Liver

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-

biphenyl]-2-yl)-; Fluxapyroxad

Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Information on: N,N-Dimethyloctanamide Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. After repeated exposure the prominent effect is local irritation.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

Information on: N,N-Dimethyldecan-1-amide

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. After repeated exposure the prominent effect is local irritation.

Information on: biphenyl

Assessment of repeated dose toxicity:

The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in

animal studies.

Information on: 2-Pyrrolidone

Assessment of repeated dose toxicity:

The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in

animal studies.

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 1.14 mg/l, Oncorhynchus mykiss (static)

Aquatic invertebrates:

EC50 (48 h) 2.56 mg/l, Daphnia magna

Aquatic plants:

EC50 (72 h) 29.319 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 1.816 mg/l (growth rate), Pseudokirchneriella subcapitata

Information on: 1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -methyl-

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

Chronic toxicity to fish:

(36 d) 0.027 mg/l, Brachydanio rerio

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-

biphenyl]-2-yl)-; Fluxapyroxad

Chronic toxicity to fish:

No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210,

Flow through.)

Information on: 1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -mothyl

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.01 mg/l, Daphnia magna

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-

biphenyl]-2-yl)-; Fluxapyroxad

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -methyl-

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

 $Information\ on:\ 1H-Pyrazole-4-carboxamide,\ 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-1])-1-methyl-N-(3',4',5$

biphenyl]-2-yl)-; Fluxapyroxad

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -methyl-

Bioaccumulation potential:

Bioconcentration factor (BCF): 385

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

Does not accumulate in organisms.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-

biphenyl]-2-yl)-; Fluxapyroxad Bioaccumulation potential:

Bioconcentration factor (BCF): 36 - 37 (28 d), Lepomis macrochirus (OECD-Guideline 305)

Does not accumulate in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -methyl-

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FLUXAPYROXAD, TRIAZOLE DERIVATIVE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FLUXAPYROXAD, TRIAZOLE DERIVATIVE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Inland waterway transport

ADN

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FLUXAPYROXAD, TRIAZOLE DERIVATIVE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

Special precautions for

None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FLUXAPYROXAD, TRIAZOLE DERIVATIVE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

None known

Air transport

IATA/ICAO

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FLUXAPYROXAD, TRIAZOLE DERIVATIVE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: Diadem XE

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

Further information

The following provisions may apply for product in packages containing a net quantity of 5 L or less ADR, RID, ADN: Special Provision 375;

IMDG: 2.10.2.7; IATA: A197;

TDG: Special Provision 99(2);

49CFR: §171.4 (c) (2).

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

EUH208: Contains a solution of a methacrylate-based polymer. May produce an allergic reaction.

This product is classified under the European CLP Regulation. (United Kingdom)

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: **Diadem XE**

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation
Skin Sens. Skin sensitization

Eye Dam./Irrit. Serious eye damage/eye irritation

STOT SE Specific target organ toxicity — single exposure

Repr. Reproductive toxicity

Aquatic Chronic Hazardous to the aquatic environment - chronic Aquatic Acute Hazardous to the aquatic environment - acute

Asp. Tox. Aspiration hazard H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.
 H362 May cause harm to breast-fed children.
 H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.
H304 May be fatal if swallowed and enters airways.

H360D May damage the unborn child.

EUH066 Repeated exposure may cause skin dryness or cracking.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code.

Page: 21/21

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.10.2020 Version: 3.0

Date previous version: 07.10.2020 Previous version: 2.0

Product: **Diadem XE**

(ID no. 30752605/SDS CPA GB/EN)

Date of print 07.10.2020

ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.