

 **AgCelence®**  
Expect more

# Comet® 200



## MAPP 12639

An emulsifiable concentrate containing 200 g/litre (19.2% w/w) pyraclostrobin.

A protectant fungicide with curative properties, for use in winter wheat, winter barley, spring wheat, spring barley, oats.  
A protectant fungicide for use in forage and grain maize.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

### SAFETY PRECAUTIONS

#### Operator protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

**WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION** (faceshield) when handling the concentrate.

**WEAR SUITABLE PROTECTIVE GLOVES** when handling contaminated surfaces.  
However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

**AVOID ALL CONTACT WITH SKIN.**

**WASH HANDS AND EXPOSED SKIN** before meals and after work.

**WHEN USING DO NOT EAT, DRINK OR SMOKE.**

**IF YOU FEEL UNWELL**, seek medical advice immediately (show the label where possible).

#### Environmental protection

Do not contaminate water with the product or its container. Do not clean equipment near surface water. Avoid contamination via drains from farmyards and roads.

To protect aquatic organisms respect an unsprayed buffer zone to surface water bodies in line with LERAPs requirements.

**DO NOT ALLOW DIRECT SPRAY** from horizontal boom sprayers to fall within 5m of the top of the bank of a static or flowing waterbody, unless a Local Environmental Risk Assessment for Pesticides (LERAP) permits a narrower buffer zone, or within 1m of the top of a ditch which is dry at the time of application. **DO NOT ALLOW DIRECT SPRAY** from hand-held sprayers to fall within 1m of the top of the bank of a static or flowing water body.

Aim spray away from water.

This product qualifies for inclusion within the Local Environmental Risk Assessment for Pesticides (LERAP) scheme. Before each

spraying operation from a horizontal boom sprayer, either a LERAP must be carried out in accordance with CRD's published guidance or the statutory buffer zone must be maintained. The results of the LERAP must be recorded and kept available for inspection for three years.

#### Storage and disposal

**KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS.**

**KEEP OUT OF REACH OF CHILDREN.**

**KEEP IN ORIGINAL CONTAINER**, tightly closed, in a safe place. **RINSE CONTAINER THOROUGHLY** by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.

**DO NOT RE-USE CONTAINER** for any purpose.

Store in a suitable pesticide store. Keep dry and protect from frost.



# 5 Le

This label is compliant with the CPA Voluntary Initiative Guidance

Supplied by:

**BASF plc**

**Crop Protection**

**PO Box 4, Earl Road**

**Cheadle Hulme, CHEADLE**

**Cheshire SK8 6GG**

**Tel: 0161 485 6222**

**Emergency information:**

**(24 hours freephone):**

**0049 180 22731 12**

**Technical Enquiries:**

**0845 602 2553 (office hours)**

® = Registered trademark of BASF

**UN 3082**  
**Packing Group III**  
**Environmentally Hazardous**  
**Substance, Liquid, N.O.S.**  
**(contains solvent naphtha,**  
**pyraclostrobin and fatty**  
**alcohol ethoxylate)**  
**Marine Pollutant**

 **BASF**  
We create chemistry

  
**The**  
**Voluntary**  
**Initiative**

81104919GB1016



# Comet® 200

An emulsifiable concentrate containing  
200 g/litre (19.2% w/w) pyraclostrobin



**DANGER:**  
**CAUSES SERIOUS EYE IRRITATION.**  
**CAUSES SKIN IRRITATION.**  
**HARMFUL IF INHALED.**  
**HARMFUL IF SWALLOWED.**  
**MAY CAUSE AN ALLERGIC SKIN REACTION.**  
**MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.**  
**VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.**

WEAR PROTECTIVE GLOVES/CLOTHING.  
AVOID BREATHING VAPOURS.  
WASH WITH PLENTY OF WATER AND SOAP THOROUGHLY  
AFTER HANDLING.  
IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR  
DOCTOR/PHYSICIAN.  
DO NOT INDUCE VOMITING.  
IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.



**To avoid risks to human health and the environment, comply  
with the instructions for use.**

This product is approved under the Plant Protection Product Regulations (EC) No 1107/2009.

## IMPORTANT INFORMATION

**FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE, as directed below:**

Crops	Maximum individual dose	Maximum number of treatments	Latest time of application
Winter and spring wheat	1.25 litres product per hectare	2 per crop	Before grain watery ripe (GS 71)
Winter and spring barley, Oats	1.25 litres product per hectare	2 per crop	Up to and including emergence of ear just complete (GS 59)
Maize (Forage and Grain)	1.0 litre product per hectare	1 per crop	Up to and including mid flowering (BBCH 65)

Other specific restrictions:  
The maximum concentration must not exceed 1.25 litres of product in 200 litres of water.

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**



## DIRECTIONS FOR USE

**IMPORTANT:** This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Comet 200 is a fungicide with protectant and curative properties for disease control in winter and spring wheat, winter and spring barley and oats.

Comet 200 is a fungicide with protectant properties for disease control in maize (forage and grain)

In cereals yield response may be obtained in the absence of visual disease.

In maize a grain yield response may be obtained in the absence of visual disease.

Comet 200 can maintain the total greenness of the crop towards the end of the growing season.

### 1. Restrictions/Warnings

**Extreme care must be taken to avoid drift onto nearby crops.**

Wash equipment thoroughly after use.

You must not apply more than two foliar applications of QoI containing products to any cereal crop. See also 2.1, Resistance Management, below.

### 2. Disease Control

Comet 200 is a fungicide with protectant and curative properties for disease control in winter and spring wheat, winter and spring barley and oats. Comet 200 is a fungicide with protectant properties for disease control in maize (forage and grain). Details are summarised below:

	Winter Wheat	Spring Wheat	Winter Barley	Spring Barley	Oats	Maize (Forage and grain)
<i>Septoria tritici</i> (See Note 1)	C	C	-	-	-	-
<i>Septoria nodorum</i> (See Note 2)	MC	MC	-	-	-	-
Yellow rust	C	C	C	C	-	-
Brown rust	C	C	C	C	-	-
Crown rust	-	-	-	-	C	-
Net blotch	-	-	C	C	-	-
<i>Rhynchosporium</i>	-	-	MC	MC	-	-
Eyespot	-	-	-	-	-	C
Northern leaf blight	-	-	-	-	-	MC

C = Control

MC

=

Moderate Control





**NOTE 1:** *S. tritici*: Comet 200 is recommended for control of *S. tritici* with moderate curative ability in the latent phase.

**NOTE 2:** *S. nodorum*: Comet 200 is recommended for control of *S. nodorum* with best results achieved when used as a protective treatment or during early stages of disease establishment.

## 2.1 Resistance Management

Comet 200 contains pyraclostrobin, a member of the QoI cross resistance group. Comet 200 should be used preventatively and should not be relied on for its curative potential.

On cereal crops, Comet 200 must always be used in mixture with another product, recommended for control of the same target disease that contains a fungicide from a different cross resistance group and is applied at a dose that will give robust control.

Use Comet 200 as part of an Integrated Crop Management (ICM) strategy incorporating other methods of control, including where appropriate other fungicides with a different mode of action. You must not apply more than two foliar applications of QoI containing products to any cereal crop.

There is a significant risk of widespread resistance occurring in *Septoria tritici* populations in the UK. Failure to follow resistance management action may result in reduced levels of disease control.

## 3. Crops

Comet 200 is a fungicide with protectant and curative properties for disease control in winter and spring wheat, winter and spring barley and oats.

Comet 200 is a fungicide with protectant properties for disease control in maize (forage and grain).

### 3.1 Time of Application

#### Cereals

Apply Comet 200 at the start of foliar disease attack. A maximum of two applications can be made before grain watery ripe in winter and spring wheat and up to and including emergence of ear just complete in winter and spring barley and oats.

#### Maize (Forage and Grain)

Best results are achieved by an application of Comet 200 before the start of foliar disease attack or at the very earliest signs of infection.

Comet 200 gives control of Eyespot for up to seven weeks after application when applied before the start of foliar disease attack.

If applying before the start of disease attack, it is recommended to only treat sites that have a known history of disease when conditions are conducive for disease development. It is recommended to consult with a specialist maize agronomist before application.





Once established in the crop Comet 200 can reduce the development of the disease. Application can be made up to and including mid-flowering.

### 3.2 Rate of Application

#### **Cereals**

Apply 1.25 litres Comet 200 in a minimum of 200 litres of water per hectare.

#### **Maize (Forage and Grain)**

Apply 1.0 litres Comet 200 in 200-400 litres of water per hectare.

### **4. Mixing and Spraying**

Apply as a MEDIUM spray, as defined by BCPC.

Half fill the spray tank with clean water and start the agitation. SHAKE THE CONTAINER WELL before use and pour in the required amount of product. Rinse any empty containers thoroughly and add rinsings to the spray tank. Add the remainder of the water and continue agitation until spraying is completed.

When tank mixes are to be used, each product should be added separately to the spray tank.

All tank mixes should be used immediately after mixing.

### **5. Compatibility**

For details of compatibilities contact your distributor, local BASF representative or the BASF Technical Services Hotline: 0044 845 602 2553.

SPECIMEN





**The following does not form part of the product label under the Plant Protection Product Regulations (EC) No 1107/2009:-**

**With many products there is a general risk of resistance developing to the active ingredients. For this reason a change in activity cannot be ruled out. It is generally impossible to predict with certainty how resistance may develop because there are so many crop and use connected ways of influencing this. We therefore have to exclude liability for damage or loss attributable to any such resistance that may develop. To help minimise any loss in activity the BASF recommended rate should in all events be adhered to.**

Numerous, particularly regional or regionally attributable, factors can influence the activity of the product. Examples include weather and soil conditions, crop plant varieties, crop rotation, treatment times, application amounts, admixture with other products, appearance of organisms resistant to active ingredients and spraying techniques. Under particular conditions a change in activity or damage to plants cannot be ruled out. The manufacturer or supplier is therefore unable to accept any liability in such circumstances. All goods supplied by us are of high grade and we believe them to be suitable, but as we cannot exercise control over their mixing or use or the weather conditions during and after application, which may affect the performance of the material, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us for any damage or injury whatsoever arising from their storage, handling, application or use; but nothing should be deemed to exclude or restrict any liability upon us which cannot be excluded or restricted under the provisions of the Unfair Contract Terms Act 1977 or any similar applicable law.

SPEC





Section 6 of the Health and Safety at Work Act  
Additional Product Safety Information

The product label provides information on a specific pesticidal use of the product; do not use otherwise, unless you have assessed any potential hazard involved, the safety measures required and that the particular use has "off-label" approval or is otherwise permitted under the Plant Protection Product Regulations (EC) No 1107/2009.

The information on this label is based on the best available information including data from test results.

## Safety Data Sheet

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:



[http://www.agricentre.basf.co.uk/go/comet200\\_sds](http://www.agricentre.basf.co.uk/go/comet200_sds)

Alternatively, contact your supplier.

SPECIMEN

