

# TECHNICAL BULLETIN

Date: 27 March 2024

## BASF PRODUCTS & REDUCED-VOLUME SPRAYING ALL PRODUCTS



This Technical Bulletin includes information on all BASF products on the market that are applied by hydraulic sprayer. It **replaces** all previous Technical Bulletins concerning reduced-volume spraying.

### CONTENTS

<b>Explanation / Background information</b>	<b>Page 2</b>
<b>Appendix 1:</b> Products with reduced-volume restrictions under the Code of Practice and risk assessments carried out	<b>Page 4</b>
<b>Appendix 2:</b> Products with reduced-volume restrictions under the Code of Practice that can only be applied at reduced-volume if the dose is reduced accordingly	<b>Page 6</b>
<b>Appendix 3:</b> Products with reduced-volume restrictions under the Code of Practice and reduced volumes approved for all or some uses	<b>Page 9</b>
<b>Appendix 4:</b> Products with reduced-volume specific restrictions	<b>Page 12</b>
<b>Appendix 5:</b> Products with no restrictions on reduced-volume spraying under the Code of Practice (but see page 3 for "... so long as ..." requirements under the Code)	<b>Page 13</b>
<b>Appendix 6:</b> Product index	<b>Page 15</b>

## Explanation / Background information

There is increased interest in the use of reduced-volume spraying as a result of implementation of cross compliance requirements (SMR 9). As a result, we have been asked to provide a list of our products sorted by the categories defined in the Code of Practice for Safe Use of Plant Protection Products, January 2006 (paragraph 4.6.4, page 81).

The Code states *“You should not use reduced-volume spraying if the label (or the relevant notice of approval):*

- (a) bans reduced-volume spraying (for example, if there is a maximum in-use concentration or minimum application volume); or*
- (b) states that PPE must be worn when the product is at the dilution ready for use; or*
- (c) has ‘corrosive’, ‘very toxic’, ‘toxic’, or ‘causes serious eye damage’ on the product label.*

*In these situations, you may reduce the volume only if you also reduce the dose of product so that the concentration of the spray solution is no greater than that recommended on the product label.”*

For example, a product with a label volume recommendation of 200 litres/ha and restricted by (a), (b) or (c) above can only be applied at 100 litres/ha if the dose is reduced to half-rate.

**However**, the Code also states (paragraph 1.4, page 17) *“The code has a special position in law. If you follow its advice you will be doing enough to keep within the law. But you may be able to work in a different way from the code as long as that way is just as safe.”* In other words, a product can be applied at reduced-volume without reducing the dose if risk assessments for operator, bystander and worker exposure show that the use is *“just as safe”*.

We have carried out these risk assessments for various products that would otherwise have reduced-volume restrictions under the Code due to categories (b) and/or (c) above. These products are included in **Appendix 1** with information on the minimum volume that can be used. For products where this is greater than 100 litres/ha, the maximum dose allowed in 100 litres/ha is also shown.

The products included in **Appendix 2** are those with reduced-volume restrictions under the Code (see categories (a), (b) and (c) above). Currently all products in Appendix 2 can only be applied as a reduced-volume spray if the dose is reduced accordingly. Application of the products included in Appendices 1 and 2 at reduced-volume is at user’s risk with regard to biological efficacy.

The products included in **Appendix 3** are those with reduced-volume restrictions under the Code (see categories (a), (b) and (c) above), but which have reduced volumes approved on the product label for all or some uses. Details are given of any restrictions on crops or dose rates.

Application of these products at reduced-volumes other than those approved is at user’s risk with regard to biological efficacy.

The products included in **Appendix 4** have a specific restriction with regard to reduced-volume spraying.

The products included in **Appendix 5** are those with no reduced-volume restrictions under the Code. All products in Appendix 5 can therefore be applied as a reduced-volume spray without reducing the dose. For these products, the Code states *“In all other cases you may choose to apply a pesticide as a reduced-volume spray as long as:*

- *the concentration of the ‘reduced-volume’ spray is no greater than 10 times the maximum concentration recommended on the label;*
- *you meet all the conditions of the product approval, including the maximum individual dose of the product;*
- *you fully understand how to use the spraying equipment and know exactly how to control the spray;*
- *you use a spray quality no finer than ‘fine’ for ground-based vehicle-mounted or trailed sprayers and no finer than ‘medium’ for equipment that is hand-controlled;*
- *you have assessed the risk to human beings (made a COSHH assessment, where appropriate) and the risk to other creatures, plants and the environment (based, where appropriate on advice from a competent adviser), and made sure that the necessary controls are in place; and*
- *your protection measures are at least as good as those shown in annex E.*

Application of the products included in Appendix 5 at reduced-volume is at user’s risk with regard to biological efficacy.

An index of all BASF products on the market and applied by hydraulic sprayer is in **Appendix 6**, together with the relevant Appendix Number (1 to 5).

**If you have any queries or require further information, please do not hesitate to contact your local BASF Agronomy Manager or the BASF Technical Services Hotline: 0845 602 2553.**

**USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE. FOR FURTHER PRODUCT INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS REFER TO [www.agricentre.basf.co.uk](http://www.agricentre.basf.co.uk)**

## APPENDIX 1

### PRODUCTS WITH REDUCED-VOLUME RESTRICTIONS UNDER THE CODE OF PRACTICE AND RISK ASSESSMENTS CARRIED OUT

Application of these products at reduced-volume is at user's risk with regard to biological efficacy.

Product	Active ingredient(s)	MAFF/MAPP Number(s)	Code of Practice category (see details in text above)	Minimum spray volume at maximum dose rate	Maximum dose rate at 100 litres/ha
Chronicle®	picolinafen + pendimethalin	15394	b	80 litres/ha	Full dose
Claymore® (see footnote €€)	pendimethalin	13441	b	90 litres/ha at 3.3 L product/ha. 100 litres /ha at 3.75 L product/ha	Full dose
Crystal®	flufenacet + pendimethalin	13914	b	80 litres/ha	Full dose
Diablo® GB only (no longer approved in Northern Ireland)	ametoctradin + mancozeb	16084	b	100 litres/ha	Full dose
Flight®	picolinafen + pendimethalin	12534	b	80 litres/ha	Full dose
Orient®	picolinafen + pendimethalin	12541	b	80 litres/ha	Full dose
Parade®	picolinafen + pendimethalin	17246	b	80 litres/ha	Full dose
PicoMax®	picolinafen + pendimethalin	13456	b	80 litres/ha	Full dose
Picona®	picolinafen + pendimethalin	13428	b	80 litres/ha	Full dose
PicoPro®	picolinafen + pendimethalin	13454	b	80 litres/ha	Full dose
PicoStomp®	picolinafen + pendimethalin	13455	b	80 litres/ha	Full dose
Shooter®	flufenacet + pendimethalin	14106	b	80 litres/ha	Full dose
Stomp® 400 SC (see footnote €€)	pendimethalin	13405	b	90 litres/ha at 3.3 L product/ha. 100 litres /ha at 3.75 L product/ha	Full dose

**APPENDIX 1 (continued)**

<b>Product</b>	<b>Active ingredient(s)</b>	<b>MAFF/MAPP Number(s)</b>	<b>Code of Practice category (see details in text above)</b>	<b>Minimum spray volume at maximum dose rate</b>	<b>Maximum dose rate at 100 litres/ha</b>
Stomp® Aqua (see footnote €€)	pendimethalin	14664	b	90 litres/ha at 2.9 L product/ha. 100 litres /ha at 3.3 L product/ha	Full dose
Torres® (see footnote €€)	pendimethalin	19017	b	90 litres/ha at 3.3 L product/ha. 100 litres /ha at 3.75 L product/ha	Full dose
Trooper®	flufenacet + pendimethalin	13924	b	80 litres/ha	Full dose

€€ Stomp 400 SC/Claymore/Stomp Aqua/Torres: Hand-held application equipment only. For tractor mounted application equipment, see Appendix 5.

® Registered trademark of BASF

## APPENDIX 2

### PRODUCTS WITH REDUCED-VOLUME RESTRICTIONS UNDER THE CODE OF PRACTICE THAT CAN ONLY BE APPLIED AT REDUCED-VOLUME IF THE DOSE IS REDUCED ACCORDINGLY

Application of products in Appendix 2 at reduced-volume is at user's risk with regard to biological efficacy.

Product	Active ingredient(s)	MAFF/MAPP Number(s)	Code of Practice category. See details in text above	Comments
Aderya XE	mefentrifluconazole + fluxapyroxad	19302	c	
Basagran® SG	bentazone	08360	b, c	Split dose: 150 l/ha. Single dose: 220 l/ha. Reduce dose if apply in lower water volumes.
Bellis®	boscalid + pyraclostrobin	12522	b	
Butisan® S	metazachlor	16569	b	Pre-emergence alone: 100 l/ha approved for winter oilseed rape (see Appendix 3). All other situations: Reduce dose if apply in <190 litres/ha.
Cassiopeia®	dimethomorph + pyraclostrobin	16522	b	
Comet®	pyraclostrobin	10875	a, b	Maximum in-use concentrations specified
Comet® 200	pyraclostrobin	12639	a, b	Maximum in-use concentrations specified
Delan® Pro	dithianon + potassium phosphonates	17374	b	
Diadem® XE	fluxapyroxad + mefentrifluconazole	19526	c	
Dithianon WG™	dithianon	17018	a, b, c	Maximum concentration specified for low volume applications
Dymid***	aminopyralid + propyzamide	17585	b	
Flyer®	pyraclostrobin	12654	a, b	Maximum in-use concentrations specified
Flyer® 200	pyraclostrobin	17293	a, b	Maximum in-use concentrations specified
Highgate®	boscalid + metconazole	15251	b	
Invader® GB only (no longer approved in Northern Ireland)	dimethomorph + mancozeb	15223	b, c	Bulb onion, shallot, garlic, leek. Refer to Appendix 3 for potato

**APPENDIX 2 (continued)**

<b>Product</b>	<b>Active ingredient(s)</b>	<b>MAFF/MAPP Number(s)</b>	<b>Code of Practice category. See details in text above</b>	<b>Comments</b>
Kezuro®	metamitron + quinmerac	17988	b	
Kumulus® DF	sulphur	19420	a	Reduced volume restrictions apply to all crops except grapes and sugar beet
Lentyra XE	mefentriflucanazole + fluxapyroxad	19301	c	
Lybro 200	pyraclostrobin	19553	a, b	Maximum in-use concentrations specified
Modem 200	pyraclostrobin	19552	a, b	Maximum in-use concentrations specified
Muntjac®	dimethenamid-P + metazachlor	16893	b, c	Reduce dose if apply in <200 litres/ha.
Mivyto® XE	fluxapyroxad + mefentrifluconazole	19259	c	
Paraat®	dimethomorph	15445	b	
Platoon®	Pyraclostrobin	12325	a, b	Maximum in-use concentrations specified
Platoon® 250	Pyraclostrobin	12640	a, b	Maximum in-use concentrations specified
Provyto® XE	fluxapyroxad + mefentrifluconazole	19585	c	
Regalis® Plus	prohexadione calcium	16485	a	Maximum in-use concentrations specified
Retengo 200	pyraclostrobin	19551	a, b	Maximum in-use concentrations specified
Revystar® XE	fluxapyroxad + mefentrifluconazole	19250	c	
Rylox	mefentrifluconazole + pyraclostrobin	19229	b, c	
Sercadis®	fluxapyroxad	17776	b	
Serifel®	<i>Bacillus amyloliquefaciens</i> strain MBI 600	19236	b	

**APPENDIX 2 (continued)**

<b>Product</b>	<b>Active ingredient(s)</b>	<b>MAFF/MAPP Number(s)</b>	<b>Code of Practice category. See details in text above</b>	<b>Comments</b>
Signum®	boscalid + pyraclostrobin	11450	b	
Springbok®	dimethenamid-P + metazachlor	16786	b	Reduce dose if apply in <200 litres/ha.
Sypex®	chlormequat chloride + 2-chloroethylphosphonic acid	04650	b	
Tectura®	boscalid + metconazole	15232	b	
Tucana®	pyraclostrobin	10899	a, b	Maximum in-use concentrations specified
Tucana® 200	pyraclostrobin	17294	a, b	Maximum in-use concentrations specified
Verydor® XE	fluxapyroxad + mefentrifluconazole	19251	c	
Vivando	metrafenone	18026	b	
Vivid®	pyraclostrobin	10898	a, b	Maximum in-use concentrations specified
Vivid® 200	pyraclostrobin	17295	a, b	Maximum in-use concentrations specified

® Registered trademark of BASF

™ Trademark of BASF

\*\*\* Dymid is a trademark of Corteva AgroScience



## APPENDIX 3

### PRODUCTS WITH REDUCED-VOLUME RESTRICTIONS UNDER THE CODE OF PRACTICE AND REDUCED VOLUMES APPROVED FOR ALL OR SOME USES

Application of these products at reduced-volumes other than those approved is at user's risk with regard to biological efficacy.

Product	Active ingredient(s)	MAFF/MAPP Number(s)	Code of Practice category. See details in text above	Comments
3C Chlormequat 750	chlormequat chloride	16690	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Allstar®	fluxapyroxad	18138	b	60 litres/ha qualified approval. Reduce dose if apply in <60 litres/ha.
Auxiliary**	clodinafop-propargyl + prosulfocarb	14576	b	100 litres/ha approved. Reduce dose if apply in <100 litres/ha.
Banastar®	dimethenamid-P + metazachlor + quinmerac	16834	b	100 litres/ha approved. Reduce dose if apply in <100 litres/ha.
Bugle®	fluxapyroxad	17821	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Butisan® S	metazachlor	16569	b	Pre-emergence alone: 100 l/ha approved for winter oilseed rape (see Appendix 2). All other situations: Reduce dose if apply in <190 litres/ha.
Caramba®	metconazole	15337	b, c	Cereals: 110 litres/ha qualified approval. Oilseed rape, peas, beans and lupins: 90 litres/ha qualified approval Reduce dose if apply in less than above water volume.
Caramba® 90	metconazole	15524	b	Cereals: 110 litres/ha qualified approval. Oilseed rape, peas, beans and lupins: 90 litres/ha qualified approval Reduce dose if apply in less than above water volume.in less than above water volume.
Caryx®	mepiquat chloride + metconazole	16100	b, c	150 litres/ha qualified approval. Reduce dose if apply in <150 litres/ha.
Cleranda®	imazamox + metazachlor	15036	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Decoy 250EC <sup>§</sup>	prothioconazole	18639	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.

**APPENDIX 3 (continued)**

<b>Product</b>	<b>Active ingredient(s)</b>	<b>MAFF/MAPP Number(s)</b>	<b>Code of Practice category. See details in text above</b>	<b>Comments</b>
Elk®	dimethenamid-P + metazachlor + quinmerac	16920	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Imperis® XE	fluxapyroxad	19310	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Imtrex®	fluxapyroxad	17108	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Invader® GB only (no longer approved in Northern Ireland)	dimethomorph + mancozeb	15223	b, c	Potatoes: 150 litres/ha qualified approval. Reduce dose if apply in <150 litres/ha.
Juventus®	metconazole	15528	b	Cereals: 110 litres/ha qualified approval. Oilseed rape, peas, beans and lupins: 90 litres/ha qualified approval. Reduce dose if apply in less than above water volume.
Katamaran®	metazachlor + quinmerac	16766	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Katamaran® Turbo	dimethenamid-P + metazachlor + quinmerac	16921	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Laser®	cycloxydim	17339	b	1.25 litres product/ha: 100 litres/ha approved. Reduce dose if apply in <100 litres/ha. All rates >1.25 litres product/ha: Reduce dose if apply in <200 litres/ha (see Appendix 2).
Librax®	fluxapyroxad + metconazole	15887 17107	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Medax® Max	prohexadione Ca + trinexapac-ethyl	17263	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Priaxor® EC	fluxapyroxad + pyraclostrobin	17371	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Scala®	pyrimethanil	15222	b	Apples: 180 litres/ha qualified approval. Strawberry (outdoor): 1000 litres/ha approved. Strawberry (protected): 400 litres/ha approved. Reduce dose if apply in less than above water volume.

**APPENDIX 3  
(continued)**

<b>Product</b>	<b>Active ingredient(s)</b>	<b>MAFF/MAPP Number(s)</b>	<b>Code of Practice category. See details in text above</b>	<b>Comments</b>
Serpent®	fluxapyroxad + pyraclostrobin	17427	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Shadow®	dimethenamid-P + metazachlor + quinmerac	16804	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Simveris	metconazole	19619	b	Cereals: 110 litres/ha qualified approval. Oilseed rape, peas, beans and lupins: 90 litres/ha qualified approval Reduce dose if apply in less than above water volume.
Sunorg® Pro	metconazole	15433	b	Cereals: 110 litres/ha qualified approval. Oilseed rape, peas, beans and lupins: 90 litres/ha qualified approval Reduce dose if apply in less than above water volume.
Terpal®	mepiquat chloride + 2-chloroethylphosphonic acid	16463	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.
Tevos®	fluxapyroxad + pyraclostrobin	19789	b	100 litres/ha qualified approval. Reduce dose if apply in <100 litres/ha.

® Registered trademark of BASF

™ Trademark of BASF

\*\* Property of Syngenta

§ Decoy is a registered trademark of Bayer

## APPENDIX 4

### PRODUCTS WITH REDUCED-VOLUME SPECIFIC RESTRICTIONS

Product	Active ingredient(s)	MAFF/MAPP Number(s)	Code of Practice category. See details in text above	Comments
None currently				

## APPENDIX 5

### PRODUCTS WITH NO RESTRICTIONS ON REDUCED-VOLUME SPRAYING UNDER THE CODE OF PRACTICE (but see page 3 above for "... so long as ..." requirements under the Code)

Application of these products at reduced-volume is at user's risk with regard to biological efficacy.

Product	Active ingredient(s)	MAFF/MAPP Number(s)
Agardia®	cinmethylin + picolinafen	20857
Architect®	pyraclostrobin + prohexadione-calcium + mepiquat-chloride	19728
Attenzo®	metrafenone	11917
Attraxor®	prohexadione calcium	18939
Belanty	mefentrifluconazole	20548
Canopy®	prohexadione calcium + mepiquat chloride	16314
Charm®	difenoconazole + fluxapyroxad	18396
Claymore® (see footnote €€€ below)	pendimethalin	13441
Clentiga®	imazamox + quinmerac	18121
Cleravo	imazamox + quinmerac	16877
Enervin® SC	ametoctradin	19698
Entargo®	boscalid	19312
Filan®	boscalid	11449
Flexity®	metrafenone	11775
Lantern®	flufenacet + picolinafen	19085
Lenvyor® Duo	mefentrifluconazole	19255
Lincano®	azoxystrobin	19318
Luxigard Opti®	cinmethylin + picolinafen	20769
Luxinum Plus	cinmethylin	19978
Maxtima	mefentrifluconazole	20599
Medax Top®	prohexadione calcium + mepiquat chloride	16574
Myresa®	mefentrifluconazole	19153
Nealta	cyflumetofen	19411
Nimbus CS	clomazone + metazachlor	16573
Nirvana®	imazamox + pendimethalin	14256
Percos®	ametoctradin + dimethomorph	19700
Perseus	difenoconazole + fluxapyroxad	18397
Pictor®	boscalid + dimoxystrobin	16783
Pontos®	flufenacet + picolinafen	17811
Pyrafen®	Boscalid + pyraclostrobin	19913
Privest®	ametoctradin + potassium phosphonates	20742
Quirinus®	flufenacet + picolinafen	17711

**APPENDIX 5 (continued)**

<b>Product</b>	<b>Active ingredient(s)</b>	<b>MAFF/MAPP Number(s)</b>
Resplend®	ametoctradin + dimethomorph	19702
Revydas	Mefentrifluconazole + boscalid	20774
Shepherd®	boscalid + pyraclostrobin	19550
Soriale®	potassium phosphonates	19166
Sovorna®	cinmethylin + picolinafen	20853
Stomp® 400 SC (see footnote €€€ below)	pendimethalin	13405
Stomp® Aqua (see footnote €€€ below)	pendimethalin	14664
Stroby® WG	kresoxim-methyl	17316
Tanaris®	dimethenamid-P + quinmerac	17173
Terridan®	cinmethylin + picolinafen	20770
Topkat®	dimethenamid-P + quinmerac	17356
Torres® (see footnote €€€ below)	pendimethalin	19017
Vayo	mefentrifluconazole	20549
Wing-P®	dimethenamid-P + pendimethalin	15425
Zampro™ DM	ametoctradin + dimethomorph	19701

€€€ Stomp 400 SC, Claymore, Stomp Aqua and Torres: All approved uses, unless applying via hand held application equipment (see Appendix 1).

® Registered trademark of BASF

™ Trademark of BASF

## APPENDIX 6

### PRODUCT INDEX

Product	See Appendix No.
Aderya® XE	2
Agardia®	5
Allstar®	3
Architect®	5
Attenzo®	5
Attraxor®	5
Auxiliary**	3
Banastar®	3
Basagran® SG	2
Belanty	5
Bellis®	2
Bugle®	3
Butisan® S	2 and 3
3C Chlormequat 750™	3
Canopy®	5
Caramba®	3
Caramba® 90	3
Caryx®	3
Cassiopeia®	2
Charm®	5
Chronicle®	1
Claymore®	1 and 5
Clentiga®	5
Cleranda®	3
Cleravo®	5
Comet®	2
Comet® 200	2
Crystal®	1
Decoy 250EC <sup>§</sup>	3
Delan® Pro	2
Diablo® GB only (no longer approved in Northern Ireland)	1
Diadem® XE	2
Dithianon WG™	2
Dymid***	2
Elk®	3
Enervin® SC	5
Entargo	5
Filan®	5
Flexity®	5
Flight®	1
Flyer®	2
Flyer® 200	2
Highgate®	2
Imperis® XE	3

**APPENDIX 6 (continued)**

<b>Product</b>	<b>See Appendix No.</b>
Imtrex®	3
Invader® GB only (no longer approved in Northern Ireland)	2 and 3
Juventus®	3
Katamaran®	3
Katamaran® Turbo	3
Kezuro®	2
Kumulus® DF	2
Lantern®	5
Laser®	3
Lentyma® XE	3
Lenvyor® Duo	5
Librax®	3
Lincano®	5
Luxigard Opti®	5
Luxinum Plus	5
Lybro 200	2
Maxtima	5
Medax® Max	3
Medax Top	5
Mivyto® XE	2
Modem 200	2
Myresa®	5
Muntjac®	2
Nealta	5
Nimbus® CS	5
Nirvana®	5
Orient®	1
Paraat®	2
Parade®	1
Percos®	5
Perseus®	5
PicoMax®	1
Piconá®	1
PicoPro®	1
PicoStomp®	1
Pictor®	5
Platoon®	2
Platoon® 250	2
Pontos®	5
Priaxor® EC	3
Privest®	5
Provyto® XE	2
Pyrafen®	5
Quirinus®	5
Regalis® Plus	2
Resplend®	5
Retengo 200	2
Revydas	5
Revystar® XE	2
Rylox	2

**BASF plc Agricultural Solutions**

4<sup>th</sup> and 5<sup>th</sup> Floors, 2 Stockport Exchange, Railway Road, Stockport SK1 3GG  
Telephone: 0161 475 3000

27 March 2024  
Page 16 of 17



**APPENDIX 6 (continued)**

<b>Product</b>	<b>See Appendix No.</b>
Scala®	3
Sercadis®	2
Serifel®	2
Serpent®	3
Shadow®	3
Shepherd®	5
Shooter®	1
Signum®	2
Simveris	3
Sovorna®	5
Soriale®	5
Springbok®	2
Stomp® 400 SC	1 and 5
Stomp® Aqua	1 and 5
Stroby® WG	5
Sunorg Pro®	3
Sypex®	2
Tanaris®	5
Tectura®	2
Terridan®	5
Terpal®	3
Tevos®	3
Topkat®	5
Torres®	1 and 5
Trooper®	1
Tucana®	2
Tucana® 200	2
Vayo	5
Verydor® XE	2
Vivando®	2
Vivid®	2
Vivid® 200	2
Wing-P®	5
Zampro™ DM	5

® Registered trademark of BASF

™ Trademark of BASF

\*\* Property of Syngenta

\*\*\* Dymid is a trademark of Corteva Agriscience

§ Decoy is a registered trademark of Bayer