# Safety data sheet

Page: 1/23
BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.
Date / Revised: 08.02.2024 Version: 9.0
Date / Previous version: 31.01.2023 Previous version: 8.0
Product: KINTO PLUS

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

# **KINTO PLUS**

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.3. Details of the supplier of the safety data sheet

Company: BASF plc 4th and 5th Floors 2 Stockport Exchange Railway Road, Stockport, SK1 3GG UNITED KINGDOM <u>Contact address:</u> BASF Ireland DAC Asgard House, 19-20 City Quay Dublin, D02 K744 Ireland

Telephone: +353 21 451-7100 E-mail address: product-safety-uk-and-ireland@basf.com

# 1.4. Emergency telephone number

For products classified as hazardous in accordance with CLP: National Poisons Information Centre, Beaumont Hospital, Dublin 9 Emergency medical information: 8am-10pm (seven days) Tel.: 01 8092566 International emergency number: Telephone: +49 180 2273-112

Page: 2/23

 BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

 Date / Revised: 08.02.2024
 Version: 9.0

 Date / Previous version: 31.01.2023
 Previous version: 8.0

 Product: KINTO PLUS
 Version: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

# **SECTION 2: Hazards Identification**

## 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

# According to Regulation (EC) No 1272/2008 [CLP]

Skin Corr./Irrit. 2	H315 Causes skin irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Repr. Additional category for effects on or via lactation.	H362 May cause harm to breast-fed children.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.
Repr. 2	H361f Suspected of damaging fertility.

For the classifications not written out in full in this section the full text can be found in section 16.

# 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:	
Warning	
Hazard Statement:	
H315 H317 H361f H362 H410 EUH401	Causes skin irritation. May cause an allergic skin reaction. Suspected of damaging fertility. May cause harm to breast-fed children. Very toxic to aquatic life with long lasting effects. To avoid risks to human health and the environment, comply with the instructions for use.
Precautionary Statemen	t:
P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
Precautionary Statemen	ts (Prevention):
P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P260 P263 P264 P270	Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy and while nursing. Wash contaminated body parts thoroughly after handling. Do not eat, drink or smoke when using this product.
P272 P280 P281	Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves and clothing. Use personal protective equipment as required.

Page: 3/23

 BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

 Date / Revised: 08.02.2024
 Version: 9.0

 Date / Previous version: 31.01.2023
 Previous version: 8.0

 Product: KINTO PLUS
 Version: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Precautionary Statements (Response): P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water. P308 + P313 IF exposed or concerned: Get medical attention. If skin irritation or rash occurs: Get medical attention. P333 + P313 P362 + P364 Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. P363 P391 Collect spillage. Precautionary Statements (Storage): P405 Store locked up. Precautionary Statements (Disposal): P501 Dispose of contents/container to container supplier.

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one, 5-Chloro-2-methyl-2Hisothiazol-3-one EUH208: May produce an allergic reaction. Contains: 2-methylisothiazol-3(2H)-one, 1,2benzisothiazol-3(2H)-one

Hazard determining component(s) for labelling: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad, triticonazole (ISO); (RS)-(E)-5-(4chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol, 2-methylisothiazol-

# 2.3. Other hazards

3(2H)-one

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

#### Chemical nature

crop protection product, fungicide, Flowable concentrate for seed treatment (FS)

#### Regulatory relevant ingredients

fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile

Page: 4/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.Date / Revised: 08.02.2024Version: 9.0Date / Previous version: 31.01.2023Previous version: 8.0Product: KINTO PLUSVersion: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Content (W/W): 3.02 % CAS Number: 131341-86-1	Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 10 H400, H410
triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzyli methyl)cyclopentanol	dene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-
Content (W/W): 3.02 % CAS Number: 138182-18-0	Repr. 2 (fertility) STOT RE (Liver, Adrenal gland) 2 Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1 H361f, H373, H400, H410
1H-Pyrazole-4-carboxamide, 3-(difluoromethyl) Fluxapyroxad	)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-;
Content (W/W): 3.02 % CAS Number: 907204-31-3 Substance with EU occupational exposure limit	Repr. Add. cat. lact. Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1 H362, H400, H410
Poly(oxy-1,2-ethanediyl), .alphasulfoomega Content (W/W): < 5 % CAS Number: 119432-41-6	-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt Aquatic Chronic 3 H412
5-Chloro-2-methyl-2H-isothiazol-3-one Content (W/W): < 0.1 % CAS Number: 26172-55-4 EC-Number: 247-500-7	Flam. Liq. 3 Acute Tox. 2 (Inhalation - dust) Acute Tox. 3 (oral) Acute Tox. 2 (dermal) Skin Corr./Irrit. 1B Eye Dam./Irrit. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 H226, H310, H330, H301, H317, H314, H400, H410

bronopol (INN)

Page: 5/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 08.02.2024 Version: 9.0 Date / Previous version: 31.01.2023 Previous version: 8.0 Product: **KINTO PLUS** 

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Content (W/W): < 0.05 % Acute Tox. 3 (Inhalation - dust) CAS Number: 52-51-7 Acute Tox, 3 (oral) EC-Number: 200-143-0 Acute Tox. 4 (dermal) REACH registration number: 01-Skin Irrit. 2 2119980938-15 Eye Dam. 1 NDEX-Number: 603-085-00-8 STOT SE 3 (irr. to respiratory syst.) Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 10 H318, H315, H312, H335, H301 + H331, H400, H410 Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008 Aquatic Chronic 1 Aquatic Acute 1 M-factor acute: 100 M-factor chronic: 10 1,2-benzisothiazol-3(2H)-one Content (W/W): < 0.05 % Acute Tox, 4 (oral) CAS Number: 2634-33-5 Skin Corr./Irrit. 2 EC-Number: 220-120-9 Eve Dam./Irrit. 1 REACH registration number: 01-Skin Sens. 1 2120761540-60 Aquatic Acute 1 NDEX-Number: 613-088-00-6 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1 H318, H315, H302, H317, H400, H410 Specific concentration limit: Skin Sens. 1: >= 0.05 % 2-methylisothiazol-3(2H)-one Content (W/W): < 0.02 % Acute Tox. 2 (Inhalation - dust) CAS Number: 2682-20-4 Acute Tox. 3 (oral) EC-Number: 220-239-6 Acute Tox. 3 (dermal) REACH registration number: 01-Skin Corr./Irrit. 1B 2120764690-50 Eye Dam./Irrit. 1 NDEX-Number: 613-326-00-9 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 1 H330, H317, H314, H301 + H311, H400, H410 EUH071 Specific concentration limit: Skin Sens. 1A: >= 0.0015 %

Page: 6/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.Date / Revised: 08.02.2024Version: 9.0Date / Previous version: 31.01.2023Previous version: 8.0Product: KINTO PLUSVersion: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Content (W/W): < 10 % CAS Number: 57-55-6 EC-Number: 200-338-0 REACH registration number: 01-2119456809-23

polyethylene glycol Content (W/W): < 5 % CAS Number: 25322-68-3 REACH registration number: 01-2119958801-32

Glycerol

Content (W/W): < 5 % CAS Number: 56-81-5 EC-Number: 200-289-5 REACH registration number: 01-2119471987-18

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

# **SECTION 4: First-Aid Measures**

#### 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Page: 7/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.Date / Revised: 08.02.2024Version: 9.0Date / Previous version: 31.01.2023Previous version: 8.0Product: KINTO PLUSVersion: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

#### 5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, Sulphur dioxide, hydrogen chloride, hydrogen fluoride, hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides, silica compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

#### 5.3. Advice for fire-fighters

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

# **SECTION 6: Accidental Release Measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environmental Protection Agency if it enters surface or ground waters. Keep people and animals away.

#### 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Page: 8/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.Date / Revised: 08.02.2024Version: 9.0Date / Previous version: 31.01.2023Previous version: 8.0Product: KINTO PLUSVersion: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN) Date of print 08.02.2024

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

# 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

# **SECTION 7: Handling and Storage**

#### 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion: No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

# 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below:0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above:40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

#### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

# **SECTION 8: Exposure Controls/Personal Protection**

# 8.1. Control parameters

Components with occupational exposure limits

56-81-5: Glycerol TWA value 10 mg/m3 (OEL (IE)), Mist 57-55-6: Propane-1,2-diol TWA value 470 mg/m3 ; 150 ppm (OEL (IE)), Total vapour and particulates TWA value 10 mg/m3 (OEL (IE)), Particulate 907204-31-3: 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluorobiphenyl-2-yl)pyrazole-4-carboxamide; fluxapyroxad TWA value 0.5 mg/m3 (BASF recomm. occupational exposure limit)

Page: 9/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.Date / Revised: 08.02.2024Version: 9.0Date / Previous version: 31.01.2023Previous version: 8.0Product: KINTO PLUSVersion: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Refer to the current schedule of occupational exposure standards published by the Irish HSA. For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

#### 8.2. Exposure controls

#### Personal protective equipment

#### Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

liquid
liquid
red
faint odour, sweetish
Not determined due to potential
health hazard by inhalation.
approx5 °C
approx. 100 °C
Information applies to the solvent.
not applicable

Page: 10/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 08.02.2024 Version: 9.0 Date / Previous version: 31.01.2023 Previous version: 8.0 Product: **KINTO PLUS** 

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Lower explosion limit:	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Flash point:	
Auto ignition tomporatur	Non-flammable. e: 455 °C (Directive 84/449/EEC, A.15)
Auto-ignition temperature	165 °C, 640 kJ/kg (DSC (OECD 113))
	(onset temperature)
	Not a substance liable to self-decomposition according to UN transport
	regulations, class 4.1.
SADT:	> 75 °C
pH value:	approx. 5 - 7
	(23 °C)
Viscosity, dynamic:	approx. 228 mPa.s
	(20 °C, 100 1/s)
	approx. 162 mPa.s
Solubility in water:	(40 °C, 100 1/s) dispersible
	octanol/water (log Kow):
	not applicable
Vapour pressure:	approx. 23.4 hPa
	(20 °C)
	Information applies to the solvent.
Density:	approx. 1.10 g/cm3
	(20 °C)
	approx. 1.106 g/cm3
	(15 °C)
	approx. 1.095 g/cm3 (50 °C)
Relative vapour density	
	not applicable
9.2. Other information	
Information with regard to physical hazard classes	
Explosives	
Explosion hazard:	not explosive
•	
Oxidizing properties	

Fire promoting properties: not fire-propagating

Other safety characteristics

Page: 11/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.Date / Revised: 08.02.2024Version: 9.0Date / Previous version: 31.01.2023Previous version: 8.0Product: KINTO PLUSVersion: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Evaporation rate:

not applicable

# **SECTION 10: Stability and Reactivity**

# 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

# 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

# 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

# 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

#### 10.5. Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

# 10.6. Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

# **SECTION 11: Toxicological Information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Experimental/calculated data: LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423) No mortality was observed. LC50 rat (by inhalation): > 5.45 mg/l 4 h No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402) No mortality was observed.

Page: 12/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 08.02.2024 Version: 9.0 Date / Previous version: 31.01.2023 Previous version: 8.0 Product: **KINTO PLUS** 

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

#### Irritation

Assessment of irritating effects: Not irritating to the eyes. Skin contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-methylisothiazol-3(2H)-one

Experimental/calculated data: Buehler test guinea pig: skin sensitizing (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bronopol (INN)

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Information on: 5-Chloro-2-methyl-2H-isothiazol-3-one Assessment of mutagenicity:

The substance was mutagenic in various test systems with bacterias and cell cultures; however, these results could not be confirmed in tests with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad

Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

-----

Page: 13/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 08.02.2024 Version: 9.0 Date / Previous version: 31.01.2023 Previous version: 8.0 Product: KINTO PLUS

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

#### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

Assessment of reproduction toxicity:

The potential to impair fertility cannot be excluded when given at maternally toxic doses.

#### **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 5-Chloro-2-methyl-2H-isothiazol-3-one

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methvl)cvclopentanol

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol

Assessment of repeated dose toxicity:

Page: 14/23

 BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

 Date / Revised: 08.02.2024
 Version: 9.0

 Date / Previous version: 31.01.2023
 Previous version: 8.0

 Product: KINTO PLUS
 Kinto PLUS

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Repeated exposure may affect certain organs.

Information on: 5-Chloro-2-methyl-2H-isothiazol-3-one Assessment of repeated dose toxicity: No adverse effects were observed after repeated exposure in animal studies. After repeated exposure the prominent effect is local irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: bronopol (INN) Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation.

Aspiration hazard

not applicable

Interactive effects

No data available.

#### 11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

#### **SECTION 12: Ecological Information**

#### 12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Page: 15/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 08.02.2024 Version: 9.0 Date / Previous version: 31.01.2023 Previous version: 8.0 Product: **KINTO PLUS** 

> (ID no. 740595/SDS\_CPA\_IE/EN) Date of print 08.02.2024

Information on:triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol Toxicity to fish: LC50 (96 h) > 3.6 mg/l, Oncorhynchus mykiss

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Toxicity to fish: LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static)

LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

Information on:fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile Toxicity to fish: LC50 (96 h) 0.23 mg/l, Oncorhynchus mykiss

LC50 (96 h) 0.7 mg/l, Pimephales promelas

\_\_\_\_\_\_(ioo ..., or ....g, ., . ....op.

Information on:triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol Aquatic invertebrates: EC50 (96 h) 6.6 mg/l, Americamysis bahia

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Aquatic invertebrates: EC50 (48 h) 6.78 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Information on:fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile Aquatic invertebrates: EC50 (48 h) 0.4 mg/l, Daphnia magna

EC50 (96 h) 0.27 mg/l, Americamysis bahia

-----

Information on:triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol Aquatic plants: EC50 (120 h) 0.31 mg/l, Skeletonema costatum

No observed effect concentration (120 h) 0.031 mg/l, Skeletonema costatum

EC50 (14 d) 1.4 mg/l, Lemna gibba

No observed effect concentration (14 d) 0.33 mg/l, Lemna gibba

EC50 (72 h) 10 mg/l, Pseudokirchneriella subcapitata

Page: 16/23

 BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

 Date / Revised: 08.02.2024
 Version: 9.0

 Date / Previous version: 31.01.2023
 Previous version: 8.0

 Product: KINTO PLUS
 Kinto PLUS

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

No observed effect concentration (72 h) 3.2 mg/l, Pseudokirchneriella subcapitata

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Aquatic plants: EC50 (72 h) 0.70 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (96 h) 0.66 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 0.31 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (96 h) 0.36 mg/l (growth rate), Pseudokirchneriella subcapitata

Information on:fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile Aquatic plants: EC50 (96 h) > 0.44 mg/l (growth rate), Pseudokirchneriella subcapitata

No observed effect concentration (96 h) 0.132 mg/l, Pseudokirchneriella subcapitata

EC50 (96 h) 0.43 mg/l (growth rate), Skeletonema costatum

No observed effect concentration (96 h) 0.14 mg/l (growth rate), Skeletonema costatum

Information on:triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol Chronic toxicity to fish: No observed effect concentration (28 d) 0.01 mg/l, Oncorhynchus mykiss

No observed effect concentration (175 d) 0.0114 mg/l, Pimephales promelas

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Chronic toxicity to fish: No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210, Flow through.)

Information on:fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile Chronic toxicity to fish: No observed effect concentration (28 d) 0.04 mg/l. Oncorhynchus mykiss

No observed effect concentration (116 d) 0.018 mg/l, Pimephales promelas

Information on:triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol Chronic toxicity to aquatic invertebrates:

No observed effect concentration (28 d) 0.041 mg/l, Mysidopsis bahia

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad

Page: 17/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 08.02.2024 Version: 9.0 Date / Previous version: 31.01.2023 Previous version: 8.0 Product: **KINTO PLUS** 

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Information on:fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d) 0.035 mg/l, Daphnia magna

No observed effect concentration (28 d) 0.018 mg/l, Mysidopsis bahia

#### 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Information on:fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

# 12.3. Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile Assessment bioaccumulation potential: Does not accumulate in organisms.

Information on:triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol Bioaccumulation potential:

Bioconcentration factor(BCF): 72.55 (42 d), Lepomis macrochirus Does not accumulate in organisms.

Page: 18/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.Date / Revised: 08.02.2024Version: 9.0Date / Previous version: 31.01.2023Previous version: 8.0Product: KINTO PLUSVersion: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Bioaccumulation potential:

Bioconcentration factor(BCF): 36 - 37 (28 d), Lepomis macrochirus (OECD Guideline 305) Does not accumulate in organisms.

# 12.4. Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:triticonazole (ISO); (RS)-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-methyl)cyclopentanol Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, the product trickles away and can - dependent on

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on:fludioxonil (ISO); 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile Assessment transport between environmental compartments: Adsorption in soil: low mobility in soil

# 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

# 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# 12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Page: 19/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.Date / Revised: 08.02.2024Version: 9.0Date / Previous version: 31.01.2023Previous version: 8.0Product: KINTO PLUSVersion: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Other ecotoxicological advice: Do not discharge product into the environment without control.

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# **SECTION 14: Transport Information**

#### Land transport

#### ADR

UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUXAPYROXAD, TRITICONAZOLE) 9, EHSM III yes None known
RID UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUXAPYROXAD, TRITICONAZOLE) 9, EHSM III yes None known
Inland waterway transport ADN UN number or ID number: UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
Transport hazard class(es): Packing group:	N.O.S. (FLUXAPYROXAD, TRITICONAZOLE) 9, EHSM III

Page: 20/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 08.02.2024 Version: 9.0 Date / Previous version: 31.01.2023 Previous version: 8.0 Product: **KINTO PLUS** 

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

Environmental hazards: yes Special precautions for None known user:

Transport in inland waterway vessel Not evaluated

#### Sea transport

#### IMDG

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (FLUXAPYROXAD, TRITICONAZOLE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
	Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-F

#### Air transport

IATA/ICAO

UN number or ID number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUXAPYROXAD, TRITICONAZOLE)
Transport hazard class(es):	
Packing group:	
Environmental hazards:	yes
Special precautions for	None known
user:	

#### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

#### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

# 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### 14.4. Packing group

Page: 21/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.Date / Revised: 08.02.2024Version: 9.0Date / Previous version: 31.01.2023Previous version: 8.0Product: KINTO PLUSVersion: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN) Date of print 08.02.2024

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

# **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E1 Classification applies for standard conditions of temperature and pressure.

This product may be subject to the Seveso III Directive and amendments if specific threshold tonnages are exceeded.

For further medical advice Doctors should contact the National Poisons Information Centre at Beaumont Hospital, Dublin.

To avoid risks to man and the environment, comply with the instructions for use.

#### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Page: 22/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 08.02.2024 Version: 9.0 Date / Previous version: 31.01.2023 Previous version: 8.0 Product: **KINTO PLUS** 

(ID no. 740595/SDS\_CPA\_IE/EN)

Date of print 08.02.2024

# **SECTION 16: Other Information**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full too to fithe allocations including the homenal elements and the homenal statements. If montioned

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned	
in section 2 or 3:	
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
Repr.	Reproductive toxicity
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Aquatic Acute	Hazardous to the aquatic environment - acute
STOT RE	Specific target organ toxicity — repeated exposure
Flam. Liq.	Flammable liquids
Acute Tox.	Acute toxicity
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Irrit.	Skin irritation
Eye Dam.	Serious eye damage
STOT SE	Specific target organ toxicity — single exposure
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361f	Suspected of damaging fertility.
H362	May cause harm to breast-fed children.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the
	instructions for use.
H400	Very toxic to aquatic life.
H373	May cause damage to organs (Liver, Adrenal gland) through prolonged or
	repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
H226	Flammable liquid and vapour.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H312	Harmful in contact with skin.
H335	May cause respiratory irritation.
H301 + H331	Toxic if swallowed or if inhaled.
H302	Harmful if swallowed.
H301 + H311	Toxic if swallowed or in contact with skin.
EUH071	Corrosive to the respiratory tract.

#### **Abbreviations**

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code.

Page: 23/23

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.Date / Revised: 08.02.2024Version: 9.0Date / Previous version: 31.01.2023Previous version: 8.0Product: KINTO PLUSVersion: 9.0

(ID no. 740595/SDS\_CPA\_IE/EN) Date of print 08.02.2024

ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.