

Safety data sheet

Page: 1/17

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3C Chlormequat 750

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, growth regulator

1.3. Details of the supplier of the safety data sheet

Company:BASF SE
67056 Ludwigshafen
GERMANYContact address:BASF plc
4th and 5th Floors, 2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-north@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

Met. Corr. 1	H290 May be corrosive to metals.
Acute Tox. 3 (oral)	H301 Toxic if swallowed.
Acute Tox. 4 (dermal)	H312 Harmful in contact with skin.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:



Signal Word:

Danger

Hazard Statement:

H312	Harmful in contact with skin.
H301	Toxic if swallowed.
H290	May be corrosive to metals.
H412	Harmful to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P234	Keep only in original packaging.
P264	Wash contaminated body parts thoroughly after handling.
P280	Wear protective gloves and clothing.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P330	Rinse mouth
P361	Take off immediately all contaminated clothing.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazard determining component(s) for labelling: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride

2.3. Other hazards

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, growth regulator, Soluble concentrate (SL)

Hazardous ingredients (GHS)

chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride

Content (W/W): 65.56 %	Acute Tox. 4 (oral)
CAS Number: 999-81-5	Acute Tox. 4 (dermal)
EC-Number: 213-666-4	Aquatic Chronic 3
INDEX-Number: 007-003-00-6	H302, H312, H412

Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008

Acute Tox. 3 (oral)
Acute Tox. 4 (dermal)
Aquatic Chronic 3

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Show container, label and/or safety data sheet to physician.

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, hydrogen chloride, halogenated compounds, nitrogen oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: -10 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3) (Combination filter EN 14387 ABEK)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid
Colour:	light yellow
Odour:	sweetish, moderate odour
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 3 - 7 (1 %(m), 20 °C)
Melting point:	approx. -17 °C
Boiling point:	approx. 100 °C (ISO 2719)
Flash point:	No flash point - Measurement made up to the boiling point.
Evaporation rate:	not applicable
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	approx. 355 °C
Vapour pressure:	approx. 23.3 hPa (20 °C) Information applies to the solvent.
Density:	approx. 1.14 g/cm ³ (20 °C)
Relative vapour density (air):	not applicable
Solubility in water:	miscible

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

Partitioning coefficient n-octanol/water (log Kow):

The statements are based on the properties of the individual components.

Information on: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride

Partitioning coefficient n-octanol/water (log Kow): -3.47

(pH value: 7)

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic: approx. 17.5 mPa.s
(20 °C, 100 1/s)

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effect on: Aluminium mild steel Corrosion rate > 6.25 mm/a using 7075-T6 or AZ5GU-T6

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Of pronounced toxicity after single ingestion. Of moderate toxicity after short-term skin contact.

Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from the properties of the individual components.

| *Information on: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride*

| *Experimental/calculated data:*

| *LD50 rat (oral): 520 mg/kg*

| *Literature data.*

| *LD50 human (oral): 50 - 200 mg/kg*

| *Information on: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride*

| *Experimental/calculated data:*

| *LC50 rat (by inhalation): > 5.2 mg/l 4 h*

| *An aerosol was tested.*

| *Information on: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride*

| *Experimental/calculated data:*

| *LD50 rabbit (dermal): 1,250 mg/kg*

| *Literature data.*

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

| *Information on: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride*

| *Experimental/calculated data:*

| *Skin corrosion/irritation*

| *rabbit: non-irritant*

| *Literature data.*

| *Information on: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride*

| *Experimental/calculated data:*

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

Serious eye damage/irritation

| *rabbit: non-irritant*

Literature data.

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

| *Information on: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride*

| *Experimental/calculated data:*

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride

Assessment of repeated dose toxicity:

The substance may reversibly affect the nervous system, but there are no indications of permanent nerve cell damage.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride

Toxicity to fish:

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

*LC50 (96 h) > 100 mg/l, Cyprinus carpio (OECD 203; ISO 7346; 84/449/EEC, C.1, static)
The details of the toxic effect relate to the nominal concentration.*

*Information on:chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride
Aquatic invertebrates:
LC50 (96 h) 31.7 mg/l, Daphnia magna*

*Information on:chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride
Aquatic plants:
EC50 (7 d) 28.0 mg/l (growth rate), Lemna gibba (static)
The product has not been tested. The data have been deduced from values for a preparation or mixture with a lower substance concentration.*

EC10 (7 d) 0.6 mg/l, Lemna gibba

*Information on:chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride
Chronic toxicity to fish:
No observed effect concentration (21 d) 43.1 mg/l, Oncorhynchus mykiss*

*Information on:chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 2.44 mg/l, Daphnia magna*

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride
Assessment biodegradation and elimination (H₂O):
Readily biodegradable (according to OECD criteria).*

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride
Bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN2922
UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (CHLORMEQUAT CHLORIDE)

Transport hazard class(es): 8, 6.1
Packing group: III
Environmental hazards: no
Special precautions for user: Tunnel code: E

RID

UN number or ID number: UN2922
UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (CHLORMEQUAT CHLORIDE)

Transport hazard class(es): 8, 6.1
Packing group: III
Environmental hazards: no
Special precautions for user: None known

Inland waterway transport

ADN

UN number or ID number: UN2922
UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (CHLORMEQUAT CHLORIDE)

Transport hazard class(es): 8, 6.1
Packing group: III
Environmental hazards: no
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

Sea transport

IMDG

UN number or ID number: UN 2922
UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (CHLORMEQUAT CHLORIDE)

Transport hazard class(es): 8, 6.1
Packing group: III
Environmental hazards: no
Marine pollutant: NO

Special precautions for user: EmS: F-A; S-B

Air transport

IATA/ICAO

UN number or ID number: UN 2922
UN proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (CHLORMEQUAT CHLORIDE)

Transport hazard class(es): 8, 6.1
Packing group: III
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user: None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
List entry in regulation: H2

This product is classified under the European CLP Regulation.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 29.06.2022

Version: 4.0

Date previous version: 29.06.2017

Previous version: 3.0

Date / First version: 14.05.2013

Product: **3C Chlormequat 750**

(ID no. 30593013/SDS_CPA_GB/EN)

Date of print 30.06.2022

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Met. Corr.	Corrosive to metals
Acute Tox.	Acute toxicity
Aquatic Chronic	Hazardous to the aquatic environment - chronic
H312	Harmful in contact with skin.
H301	Toxic if swallowed.
H290	May be corrosive to metals.
H412	Harmful to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H302	Harmful if swallowed.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.