

Allstar®

A protectant fungicide for use on potato.

A suspension concentrate containing 300 g/litre (26.5 % w/w) fluxapyroxad.

Contains 1,2-benzisothiazol-3(2H)-one and 2-methyl-4-iso-thiazolin-3-one. May produce an allergic reaction.

Safety Information

Warning

**May cause an allergic skin reaction.
May cause harm to breast-fed children.
Very toxic to aquatic life with long lasting effects.**

Wear protective gloves/protective clothing/eye protection/face protection.

If medical advice is needed, have product container or label at hand.

Do not breathe dust or mist.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

**MAPP 19717
PCS No. 05925**



® = Registered trademark of BASF

UFI: QQR0-V08N-X00T-D26S

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work (UK only).

Irish marketing company:

BASF Ireland DAC, 4th and 5th Floors,
2 Stockport Exchange, Railway Road, Stockport,
SK1 3GG, UK Telephone: 00 44 (0)161 475 3000

Emergency Information (24 hours freephone):

0049 180 227 3112

Technical Enquiries: 0044 (0)845 602 2553 (office hours)

Authorisation holder and UK

marketing company:
BASF plc, 4th and 5th Floors,
2 Stockport Exchange,
Railway Road, Stockport,

SK1 3GG, UK Telephone:

00 44 (0)161 475 3000

5 L

81175526 IE 2044



IMPORTANT INFORMATION**FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE, as directed below:**

CROPS	MAXIMUM INDIVIDUAL DOSE	MAXIMUM NUMBER OF TREATMENTS PER CROP	LATEST TIME OF APPLICATION
Potato In-furrow treatment applied at planting	0.8 l product/ha	1	Immediately after planting

Other specific restriction:

This product must not be applied by hand-held equipment.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**SAFETY PRECAUTIONS****Operator Protection**

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when handling the concentrate

WEAR SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection.

WHEN USING DO NOT EAT, DRINK OR SMOKE.**WASH HANDS AND EXPOSED SKIN** before meals and after work.**Environmental Protection**

Do not contaminate surface waters or ditches with chemical or used container.

Do not clean application equipment near surface water.

Avoid contamination via drains from farmyards and roads.

Storage And Disposal**DO NOT RE-USE CONTAINER FOR ANY PURPOSE.****KEEP OUT OF REACH OF CHILDREN.****KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.****KEEP IN ORIGINAL CONTAINER**, tightly closed, in a safe place.**RINSE CONTAINER THOROUGHLY** by using an integrated pressure rinsing device or manually rinsing three times.

Add washings to sprayer at time of filling and dispose of safely.

Store in a suitable pesticide store. Keep dry and protect from frost.

**The
Voluntary
Initiative****This label is compliant with the CPA Voluntary Initiative Guidance (UK only)**

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

ALLSTAR is a protectant fungicide for the moderate control of black scurf (*Rhizoctonia solani*) in potatoes when applied as an in furrow application at planting.

For professional use only.

Disease control

ALLSTAR is a protectant fungicide for the moderate control of black scurf (*Rhizoctonia solani*) in potatoes when applied as an in furrow application at planting.

Resistance Management

GROUP	7	FUNGICIDE
-------	---	-----------

ALLSTAR contains fluxapyroxad, a succinate dehydrogenase inhibitor (SDHI) belonging to FRAC Group 7.

Effective disease management is a critical component in delaying the build-up of resistant pathogen populations. Therefore ALLSTAR should be applied according to the manufacturer's recommendations for the target disease at the rate and timings indicated.

For further advice on resistance management contact your agronomist or specialist advisor or visit the FRAG-UK website.

Crop Specific Information

Potatoes

ALLSTAR can be used on all varieties of early and maincrop potatoes grown for seed, ware or processing.

Time of application

ALLSTAR should be applied as an in-furrow application at planting.

Rate of application

The rates and water volumes are as follows:

Method of application	Rate of application	Water volume
In-furrow treatment applied at planting	0.8 l/ha	150-300 l/ha*

***Qualified recommendation**

ALLSTAR may be applied at up to 0.8 l/ha in 60 litres water per hectare, although efficacy and crop safety at this reduced water volume have not been evaluated.

Following Crops

Following crops after normal harvest

Any crop may be planted following the normal harvest of a potato crop treated with ALLSTAR.

In the event of crop failure

No restrictions are proposed for succeeding crops after failure of a potato crop treated with ALLSTAR.

Mixing and Application

Mixing

Never prepare more spray solution than is required.

Three quarters fill the tank with clean water and start the agitation. To ensure thorough mixing of the product, invert the container several times before opening. Add the required quantity of ALLSTAR to the spray tank while re-circulating. Add the remainder of the water and continue agitation until spraying is complete.

On emptying the container, rinse container thoroughly by using an integrated pressure rinsing device or by manually rinsing three times. Add washings to tank at time of filling and dispose of container safely.

Application

For application in potatoes in furrow at planting, apply as a MEDIUM spray, as defined by BCPC.

Sprayer cleaning

Wash sprayer thoroughly immediately after use, using clean water and following the sprayer cleaning guidance provided by the equipment manufacturer.

Compatibility

For details of compatibilities contact your distributor, local BASF representative, the BASF Technical Services Hotline: 0044 (0) 845 602 2553 or visit our website on:

UK – www.agricentre.basf.co.uk

IE – www.agricentre.basf.ie

Trade Mark Acknowledgments

ALLSTAR is a registered trademark of BASF.

The following does not form part of the product label under Irish S.I. No. 159 of 2012 or under the Plant Protection Product Regulations 1107/2009

With many products there is a general risk of resistance developing to the active ingredients. For this reason a change in activity cannot be ruled out. It is generally impossible to predict with certainty how resistance may develop because there are so many crop and use connected ways of influencing this. We therefore have to exclude liability for damage or loss attributable to any such resistance that may develop. To help minimise any loss in activity the BASF recommended rate should in all events be adhered to.

Numerous, particularly regional or regionally attributable, factors can influence the activity of the product. Examples include weather and soil conditions, crop plant varieties, crop rotation, treatment times, application amounts, admixture with other products, appearance of organisms resistant to active ingredients and spraying techniques. Under particular conditions a change in activity or damage to plants cannot be ruled out. The manufacturer or supplier is therefore unable to accept any liability in such circumstances. All goods supplied by us are of high grade and we believe them to be suitable, but as we cannot exercise control over their mixing or use or the weather conditions during and after application, which may affect the performance of the material, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us for any damage or injury whatsoever arising from their storage, handling, application or use; but nothing should be deemed to exclude or restrict any liability upon us which cannot be excluded or restricted under the provisions of any applicable law.

Additional Product Safety Information

The information on this label is based on the best available information including data from test results.

Ireland Safety Data Sheet

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:



agricentre.basf.ie/Allstar-IE/MSDS

Alternatively, contact your supplier.

UK Safety Data Sheet

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:



agricentre.basf.co.uk/ALLSTAR/MSDS

Alternatively, contact your supplier.

Allstar®

A protectant fungicide for use on potato.

A suspension concentrate containing 300 g/litre (26.5 % w/w) fluxapyroxad.

Contains 1,2-benzisothiazol-3(2H)-one and 2-methyl-4-iso-thiazolin-3-one. May produce an allergic reaction.

Safety Information

Warning

May cause an allergic skin reaction.
May cause harm to breast-fed children.
Very toxic to aquatic life with long lasting effects.

Wear protective gloves/protective clothing/eye protection/face protection.

If medical advice is needed, have product container or label at hand.

Do not breathe dust or mist.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

MAPP 19717
PCS No. 05925



® = Registered trademark of BASF

UFI: QQR0-V08N-X00T-D26S

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work (UK only).

Irish marketing company:

BASF Ireland DAC, 4th and 5th Floors,
 2 Stockport Exchange, Railway Road, Stockport,
 SK1 3GG, UK Telephone: 00 44 (0)161 475 3000

Emergency Information (24 hours freephone):

0049 180 227 3112

Technical Enquiries: 0044 (0)845 602 2553 (office hours)

Authorisation holder and UK

marketing company:
 BASF plc, 4th and 5th Floors,
 2 Stockport Exchange,

Railway Road, Stockport,

SK1 3GG, UK Telephone:

00 44 (0)161 475 3000

5 L