

Safety data sheet

Page: 1/17

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 06.11.2025 Version: 8.0
Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Basagran SG

Chemical name: BASAGRAN® SG

CAS Number: 50723-80-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY

Contact address:
BASF plc
4th and 5th Floors, 2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Acute Tox. 4 (oral) H302 Harmful if swallowed.

time to time.

Date / Revised: 06.11.2025 Version: 8.0 Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

Eye Dam./Irrit. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Repr. 2 H361d Suspected of damaging the unborn child.

Aguatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:







Signal Word:

Danger

Hazard Statement:

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H361d Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

P261 Avoid breathing dust or fume.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

Precautionary Statements (Response):

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

P333 + P313	If skin irritation or rash occurs:	Get medical attention.
-------------	------------------------------------	------------------------

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water.

P330 Rinse mouth.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P308 + P313 IF exposed or concerned: Get medical attention.

P391 Collect spillage.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal

contractor or collection site except for empty clean containers which can

be disposed of as non-hazardous waste.

Hazard determining component(s) for labelling: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

crop protection product, herbicide, water soluble granules (SG)

Hazardous ingredients (GHS)

3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

Content (W/W): 96.6 % Acute Tox. 4 (oral)
CAS Number: 50723-80-3 Eye Irrit. 2

EC-Number: 256-735-4 Skin Sens. 1

Repr. 2 (unborn child) Aquatic Acute 1 Aquatic Chronic 2

H319, H302, H317, H361d, H411, H400

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

Show container, label and/or safety data sheet to physician.

Show container, label and/or safety data sheet to physician.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons: carbon dioxide

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, sulfur dioxide, nitrogen oxides, sulfur oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

50723-80-3: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt TWA value 1.23 mg/m3 (BASF recomm. occupational exposure limit)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: solid Colour: vellow

Odour: faint specific odour, aromatic

Odour threshold:

Not determined due to potential

health hazard by inhalation.

pH value: approx. 6 - 8

(CIPAC standard water D, 10 g/l, 20

°C)

Melting point: > 20 °C

Boiling point:

The product has not been tested.

Flash point:

not applicable, the product is a solid

Flammability: not highly flammable

(Directive 84/449/EEC, A.10)

Lower explosion limit:

As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Ignition temperature:

not applicable, the product is a solid

Vapour pressure:

not applicable

Density: approx. 1.43 g/cm3

(OECD Guideline 109)

(20 °C) Relative vapour density (air):

not applicable, The product is a non-

volatile solid.

Solubility in water: water soluble granules (SG), soluble

Partitioning coefficient n-octanol/water (log Kow):

Information based on the main

component/s.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

Partitioning coefficient n-octanol/water (log Kow): 0.67

(20 °C; pH value: 5)

Self ignition: not self-igniting (Method: UN Test N.2 (pyrophoric solids))

Thermal decomposition: 160 °C, 360 kJ/kg, (DSC (OECD 113))

(onset temperature)

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

Viscosity, dynamic:

not applicable, the product is a solid

Viscosity, kinematic:

Explosion hazard:

not applicable, the product is a solid Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: not fire-propagating (Regulation 440/2008/EC,

A.17)

9.2. Other information

Self heating ability: It is not a substance capable of

spontaneous heating.

SADT: > 75 °C

Grain size distribution: No data available.

SECTION 10: Stability and Reactivity

10.1. Reactivity

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 1,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 5.5 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation

Assessment of irritating effects:

May cause severe damage to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

Serious eye damage/irritation

rabbit: irreversible damage (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Experimental/calculated data:

Guinea pig maximization test guinea pig: skin sensitizing

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The substance did not cause malformations in animal studies. When given in high doses fetotoxicity was observed.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organtoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (EPA 72-1, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants:

EC50 (72 h) > 100 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC10 (72 h) 13.5 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (14 d) 11.1 mg/l, Lemna gibba (Growth Inhibition Test)

EC10 (7 d) 2.5 mg/l, Lemna gibba (Growth Inhibition Test)

EC50 (14 d) 0.684 mg/l, aquatic plant

EC10 (14 d) 0.198 mg/l, aquatic plant

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment biodegradation and elimination (H2O):

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE

2,2-DIOXIDE, SODIUM SALT)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE

2,2-DIOXIDE, SODIUM SALT)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

None known

user:

Inland waterway transport

ADN

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE

2,2-DIOXIDE, SODIUM SALT)

Transport hazard class(es): 9, EHSM

Packing group:

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

Environmental hazards: yes

Special precautions for

None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE

2,2-DIOXIDE, SODIUM SALT)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

Air transport

IATA/ICAO

UN number or ID number: UN 3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE

2,2-DIOXIDE, SODIUM SALT)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: ves

Special precautions for None known

user:

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E1

Classification applies for standard conditions of temperature and pressure.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

This product is classified under the European CLP Regulation.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Acute Tox. Acute toxicity

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Sens. Skin sensitization

Repr. Reproductive toxicity

Aquatic Acute Hazardous to the aquatic environment - acute Hazardous to the aquatic environment - chronic

Eye Irrit. Eye irritation

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H361d Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H319 Causes serious eye irritation.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Page: 17/17

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 06.11.2025 Version: 8.0

Date / Previous version: 05.12.2023 Previous version: 7.0

Product: Basagran SG

(ID no. 30059066/SDS_CPA_GB/EN)

Date of print 07.11.2025

Vertical lines in the left hand margin indicate an amendment from the previous version.