

# Safety data sheet

Page: 1/19

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Caryx®**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

### 1.3. Details of the supplier of the safety data sheet

Company:

BASF SE  
67056 Ludwigshafen  
GERMANY

Contact address:

BASF plc  
4th and 5th Floors, 2 Stockport Exchange  
Railway Road, Stockport, SK1 3GG  
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

#### According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Acute Tox. 4 (oral)	H302 Harmful if swallowed.
Acute Tox. 4 (Inhalation - mist)	H332 Harmful if inhaled.
Eye Dam. 1	H318 Causes serious eye damage.
Skin Sens. 1B	H317 May cause an allergic skin reaction.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

## 2.2. Label elements

#### According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:



Signal Word:

Danger

Hazard Statement:

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P260	Do not breathe mist or vapour.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves and eye protection or face protection.

Precautionary Statements (Response):

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P330	Rinse mouth.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
Precautionary Statements (Disposal):	
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazard determining component(s) for labelling: 1,1-dimethylpiperidinium chloride; mepiquat chloride, metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol, Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., Reaction mass of 2-ethylhexyl mono-D-glucopyranoside and 2-ethylhexyl di-D-glucopyranoside

## 2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical nature

crop protection product, Soluble concentrate (SL), growth regulator

Hazardous ingredients (GHS)

| 1,1-dimethylpiperidinium chloride; mepiquat chloride

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

Content (W/W): 19.13 %	Acute Tox. 4 (Inhalation - dust)
CAS Number: 24307-26-4	Acute Tox. 3 (oral)
EC-Number: 246-147-6	Aquatic Chronic 3
	H332, H301, H412

metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Content (W/W): 2.73 %	Acute Tox. 4 (oral)
CAS Number: 125116-23-6	Repr. 2 (unborn child)
INDEX-Number: 613-284-00-1	Aquatic Chronic 2
	M-factor chronic: 10
	H302, H361d, H411

Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008

Acute Tox. 4 (oral)  
Repr. 2 (unborn child)  
Aquatic Acute 1  
Aquatic Chronic 1

Reaction mass of 2-ethylhexyl mono-D-glucopyranoside and 2-ethylhexyl di-D-glucopyranoside

Content (W/W): < 30 %	Eye Dam./Irrit. 1
CAS Number: 125590-73-0	H318
EC-Number: 414-420-0	

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.

Content (W/W): < 25 %	Acute Tox. 4 (oral)
CAS Number: 85536-14-7	Skin Corr. 1C
EC-Number: 287-494-3	Eye Dam. 1
REACH registration number: 01-2119490234-40	Aquatic Chronic 3
	H314, H302, H412

propionic acid ... %

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

<p>Content (W/W): &lt; 10 %  CAS Number: 79-09-4  EC-Number: 201-176-3  REACH registration number: 01-2119486971-24  INDEX-Number: 607-089-00-0</p>	<p>Flam. Liq. 3  Skin Corr. 1B  Eye Dam. 1  STOT SE 3 (irr. to respiratory syst.)  H226, H335, H314</p> <p><u>Specific concentration limit:</u>  Eye Dam./Irrit. 2: 10 - &lt; 25 %  Skin Corr./Irrit. 1B: &gt;= 25 %  Skin Corr./Irrit. 2: 10 - &lt; 25 %  STOT SE 3, irr. to respiratory syst.: &gt;= 10 %</p>
---	---

| sodium hydroxide

<p>Content (W/W): &lt; 5 %  CAS Number: 1310-73-2  EC-Number: 215-185-5  REACH registration number: 01-2119457892-27  INDEX-Number: 011-002-00-6</p>	<p>Met. Corr. 1  Skin Corr. 1A  Eye Dam. 1  H290, H314</p> <p><u>Specific concentration limit:</u>  Eye Irrit. 2: 0.5 - &lt; 2 %  Skin Corr. 1B: 2 - &lt; 5 %  Skin Corr. 1A: &gt;= 5 %  Skin Irrit. 2: 0.5 - &lt; 2 %</p>
--	--

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

| Remove contaminated clothing.

Show container, label and/or safety data sheet to physician.

If inhaled:

| Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

| Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

| Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

| Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

#### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

### **SECTION 5: Fire-Fighting Measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

#### **5.2. Special hazards arising from the substance or mixture**

Endangering substances: carbon monoxide, hydrogen chloride, Carbon dioxide, nitrogen oxides, halogenated compounds, sulfur oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

#### **5.3. Advice for fire-fighters**

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

### **SECTION 6: Accidental Release Measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### **6.2. Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

#### **6.3. Methods and material for containment and cleaning up**

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: -5 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Components with occupational exposure limits

79-09-4: propionic acid ... %

TWA value 31 mg/m<sup>3</sup> ; 10 ppm (WEL/EH 40 (UK))

STEL value 62 mg/m<sup>3</sup> ; 20 ppm (OEL (EU))

indicative

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

	TWA value 31 mg/m <sup>3</sup> ; 10 ppm (OEL (EU)) indicative
	STEL value 46 mg/m <sup>3</sup> ; 15 ppm (WEL/EH 40 (UK))
	Ceiling limit value/factor: 15 min
	STEL value 62 mg/m <sup>3</sup> ; 20 ppm (EU SCOEL)
	Ceiling limit value/factor: 15 min
	TWA value 31 mg/m <sup>3</sup> ; 10 ppm (EU SCOEL)
	Ceiling limit value/factor: 8HR
1310-73-2: sodium hydroxide	STEL value 2 mg/m <sup>3</sup> (WEL/EH 40 (UK))
	Ceiling limit value/factor: 15 min
24307-26-4: 1,1-dimethylpiperidinium chloride	TWA value 1.56 mg/m <sup>3</sup> (BASF recomm. occupational exposure limit)
125116-23-6: metconazole (ISO)	TWA value 1 mg/m <sup>3</sup> (Recommendation of BASF), Respirable dust

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

## 8.2. Exposure controls

### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

Form:	liquid	
Colour:	orange, clear	
Odour:	moderate odour, of acetic acid	
Odour threshold:	Not determined since harmful by inhalation.	
pH value:	approx. 3 - 5 (CIPAC standard water D, 1 %(m), 20 °C)	(pH Meter)
Melting temperature:	< -20 °C	
Boiling point:	approx. 100 °C	(measured)
Flash point:	No flash point - Measurement made up to the boiling point.	(Directive 92/69/EEC, A.9)
Flammability:	not highly flammable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	approx. 385 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 23 hPa (20 °C)	
Density:	Information applies to the solvent. approx. 1.10 g/cm3 (20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not determined	
Solubility in water:	fully soluble	
Partitioning coefficient n-octanol/water (log Kow):	The statements are based on the properties of the individual components.	
<i>Information on: 1,1-dimethylpiperidinium chloride; mepiquat chloride</i>		
<i>Partitioning coefficient n-octanol/water (log Kow): 2.82</i>		
<i>(pH value: 7)</i>		
-----		
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	113 mPa.s (20 °C, 100 1/s)	(OECD Guideline 114)
Viscosity, kinematic:	approx. 102.7 mm2/s (20 °C)	(calculated (from dynamic viscosity))

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

Explosion hazard: not explosive  
Fire promoting properties: not fire-propagating

## 9.2. Other information

Grain size distribution: The substance / product is marketed or used in a non solid or granular form.

Other Information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

### 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

LC50 rat (by inhalation): 3.2 mg/l 4 h  
An aerosol was tested.

LD50 rat (dermal): > 4,000 mg/kg  
No mortality was observed.

#### Irritation

Assessment of irritating effects:

May cause severe damage to the eyes. Skin contact causes slight irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation  
rabbit: Slightly irritating.

Serious eye damage/irritation

rabbit: irreversible damage

#### Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (OECD Guideline 429)

#### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol*

*Assessment of carcinogenicity:*

*In long-term studies in rodents exposed to high doses, a tumorigenic effect was found; however, these results are thought to be due to a rodent-specific liver effect that is not relevant to humans.*

-----

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol*

*Assessment of teratogenicity:*

*Indications of possible developmental toxicity/teratogenicity were seen in animal studies.*

-----

### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol*

*Assessment of repeated dose toxicity:*

*Adaptive effects were observed after repeated exposure in animal studies.*

**|** *Information on: propionic acid ... %*

*Assessment of repeated dose toxicity:*

*No substance-specific organotoxicity was observed after repeated administration to animals. After repeated administration the prominent effect is the induction of corrosion.*

*Information on: sodium hydroxide*

*Assessment of repeated dose toxicity:*

*After repeated administration the prominent effect is the induction of corrosion.*

-----

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

#### Aspiration hazard

not applicable

#### Other relevant toxicity information

Misuse can be harmful to health.

---

## SECTION 12: Ecological Information

### 12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 10.55 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 92/69/EWG, C.1, static)

Aquatic invertebrates:

EC50 (48 h) 14.64 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (7 d) 3.44 mg/l (growth rate), *Lemna gibba* (OECD Guideline 201)

No observed effect concentration (7 d) 0.03 mg/l (growth rate), *Lemna gibba* (OECD Guideline 201)

### 12.2. Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1,1-dimethylpiperidinium chloride; mepiquat chloride*

*Assessment biodegradation and elimination (H<sub>2</sub>O):*

*Readily biodegradable (according to OECD criteria).*

*Information on: metconazole (ISO); (1RS, 5RS; 1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol*

*Assessment biodegradation and elimination (H<sub>2</sub>O):*

*Not readily biodegradable (by OECD criteria).*

-----

### 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1,1-dimethylpiperidinium chloride; mepiquat chloride*

*Assessment bioaccumulation potential:*

*Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*

*Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol*

*Bioaccumulation potential:*

*Bioconcentration factor (BCF): 51 - 80, Lepomis macrochirus*

*Does not accumulate in organisms.*

#### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1,1-dimethylpiperidinium chloride; mepiquat chloride*

*Assessment transport between environmental compartments:*

*Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*

*Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol*

*Assessment transport between environmental compartments:*

*Volatility: The substance will not evaporate into the atmosphere from the water surface.*

*Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

#### 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

#### 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

#### 12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

---

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## SECTION 14: Transport Information

### Land transport

ADR

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METCONAZOLE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

RID

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METCONAZOLE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

### Inland waterway transport

ADN

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

UN number or ID number: UN3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METCONAZOLE)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

**Sea transport**

IMDG

UN number or ID number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METCONAZOLE)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Marine pollutant: YES  
Special precautions for user:

**Air transport**

IATA/ICAO

UN number or ID number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METCONAZOLE)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

**14.1. UN number or ID number**

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

**14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

### **14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

### **14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

### **14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

### **14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

### **14.7. Maritime transport in bulk according to IMO instruments**

Maritime transport in bulk is not intended.

### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

---

## **SECTION 15: Regulatory Information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **Prohibitions, Restrictions and Authorizations**

UK REACH SI, Annex XVII, Marketing and Use Restrictions  
Number on List: 3

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):  
List entry in regulation: E1  
Classification applies for standard conditions of temperature and pressure.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

The product contains a substance (Schedule 1A) regulated under United Kingdom Poisons Act 1972. This may result in obligations for your company according to the statutory requirements of the aforementioned regulation and the respective national implementing regulations.

## SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Eye Dam.	Serious eye damage
Skin Sens.	Skin sensitization
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Repr.	Reproductive toxicity
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Corr.	Skin corrosion
Flam. Liq.	Flammable liquids
STOT SE	Specific target organ toxicity — single exposure
Met. Corr.	Corrosive to metals
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Irrit.	Eye irritation
Skin Irrit.	Skin irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H301	Toxic if swallowed.
H412	Harmful to aquatic life with long lasting effects.
H361d	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H314	Causes severe skin burns and eye damage.
H226	Flammable liquid and vapour.
H335	May cause respiratory irritation.
H290	May be corrosive to metals.

### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 30.05.2025

Version: 8.0

Date / Previous version: 06.11.2023

Previous version: 7.0

Product: **Caryx®**

(ID no. 30513035/SDS\_CPA\_GB/EN)

Date of print 30.06.2025

---

waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.