

Safety data sheet

Page: 1/19

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS CPA GB/EN)

Date of print 30.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Flexity®

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company:
BASF plc
4th and 5th Floors
2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Skin Sens. 1 H317 May cause an allergic skin reaction. Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:





Signal Word: Warning

Hazard Statement:

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P261 Avoid breathing mist or vapour or spray.

P264 Wash contaminated body parts thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing and eye protection or face

protection.

Precautionary Statements (Response):

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P337 + P313 If eye irritation persists: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Precautionary Statements (Disposal):

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

P501

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Hazard determining component(s) for labelling: Methanone, (3-bromo-6-methoxy-2methylphenyl)(2,3,4-trimethoxy-6-methylphenyl), D-Glucopyranose, oligomers, decyl octyl glycosides

Hazard determining component(s) for labelling: Methanone, (3-bromo-6-methoxy-2methylphenyl)(2,3,4-trimethoxy-6-methylphenyl), D-Glucopyranose, oligomers, decyl octyl glycosides, 1,2-benzisothiazol-3(2H)-one

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients (GHS)

Methanone, (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl)

Content (W/W): 25.26 % Aquatic Acute 1 CAS Number: 220899-03-6 Aquatic Chronic 1 H400, H410

D-Glucopyranose, oligomers, decyl octyl glycosides

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Content (W/W): < 20 % Eye Dam. 1 CAS Number: 68515-73-1 H318

EC-Number: 500-220-1

REACH registration number: 01-

2119488530-36

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

Content (W/W): < 10 %

Eye Dam./Irrit. 2 CAS Number: 68425-94-5 Aquatic Chronic 3 H319, H412

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0.1 % Acute Tox. 2 (Inhalation - dust)

CAS Number: 2634-33-5 Acute Tox. 4 (oral)

EC-Number: 220-120-9 Skin Irrit. 2 REACH registration number: 01-Eye Dam. 1

2120761540-60

Skin Sens. 1A INDEX-Number: 613-088-00-6 Aquatic Acute 1

Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1

H318, H315, H330, H302, H317, H400, H410

Specific concentration limit: Skin Sens. 1A: >= 0.036 %

bronopol (INN)

Page: 5/19

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Acute Tox. 3 (Inhalation - dust) Content (W/W): < 0.01 %

CAS Number: 52-51-7 Acute Tox. 3 (oral) EC-Number: 200-143-0 Acute Tox. 4 (dermal)

REACH registration number: 01-

2119980938-15

INDEX-Number: 603-085-00-8

Skin Irrit. 2 Eye Dam. 1

STOT SE 3 (irr. to respiratory syst.)

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 10

H318, H315, H312, H335, H301 + H331, H400,

H410

Differing classification according to current knowledge and the criteria given in Annex I of

Regulation (EC) No. 1272/2008

Aquatic Chronic 1 Aquatic Acute 1 M-factor acute: 100 M-factor chronic: 10

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -

isothiazol-3- one [EC no. 220-239-6] (3:1)

Content (W/W): < 0.001 % Acute Tox. 3 (oral)

CAS Number: 55965-84-9 Acute Tox. 2 (Inhalation - mist)

REACH registration number: 01-

2120764691-48

INDEX-Number: 613-167-00-5

Acute Tox. 2 (dermal)

Skin Corr. 1C Eye Dam. 1

Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100

M-factor chronic: 100

H314, H301, H317, H310 + H330, H400, H410

EUH071

Specific concentration limit:

Skin Sens. 1A: >= 0.0015 % Eye Dam. 1: >= 0.6 % Skin Irrit. 2: 0.06 - < 0.6 % Eye Irrit. 2: 0.06 - < 0.6 % Skin Corr. 1C: >= 0.6 %

Page: 6/19

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Content (W/W): < 5 % CAS Number: 57-55-6 EC-Number: 200-338-0

REACH registration number: 01-

2119456809-23

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

Show container, label and/or safety data sheet to physician.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, carbon dioxide, foam, dry powder

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS CPA GB/EN)

Date of print 30.07.2025

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, hydrogen bromide, Carbon dioxide, nitrogen oxides, sulfur oxides, halogenated compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS CPA GB/EN)

Date of print 30.07.2025

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

The packed product must be protected from temperatures below the indicated one.

Protect from temperatures above: 35 °C

The packed product must be protected against exceeding the indicated temperature.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

TWA value 474 mg/m3 ; 150 ppm (WEL/EH 40 (UK)), Total vapour and particulates

TWA value 10 mg/m3 (WEL/EH 40 (UK)), Particulate

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: liquid
Colour: beige
Odour: aliphatic

Odour threshold:

Not determined due to potential

health hazard by inhalation.

pH value: approx. 6 - 8 (pH Meter)

(100 %(m), 20 °C)

(measured with the undiluted

substance)

Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point:

A flash point determination is unnecessary due to the high water

content.

Flammability: not flammable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Ignition temperature: 379 °C

The product has not been tested. The statement has been derived from substances/products of a similar

structure or composition.

Vapour pressure: approx. 23 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.19 g/cm3 (OECD Guideline 109)

(20 °C)

Relative vapour density (air):

not determined

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Thermal decomposition: 210 °C, 40 kJ/kg, (DSC (DIN 51007))

(onset temperature)

310 °C, 390 kJ/kg, (DSC (DIN 51007))

(onset temperature)

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

Viscosity, dynamic: approx. 616 mPa.s (OECD Guideline 114)

(20 °C, 100 1/s)

Viscosity, kinematic: 517.65 mm2/s (calculated (from dynamic

(20 °C) viscosity))

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Grain size distribution: The substance / product is marketed or used in a non solid or

granular form.

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 401)

No mortality was observed.

LC50 rat (by inhalation): > 3.1 mg/l 4 h (OECD Guideline 403)

No mortality was observed. Highest concentration technically achievable. An aerosol with respirable particles was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:

Eye contact causes irritation. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation

rabbit: Irritant. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Information on: 1,2-benzisothiazol-3(2H)-one

Assessment of sensitization:

Sensitization after skin contact possible.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bronopol (INN)

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Methanone, (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl) Assessment of carcinogenicity:

When given in high doses, the substance was carcinogenic in animal studies. Based on its mechanism of action, a carcinogenic potential is not expected after exposure to low doses.

Reproductive toxicity

No data available.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bronopol (INN)

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation.

Information on: reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Assessment of repeated dose toxicity:

Based on available data, the classification criteria are not met. After repeated exposure the prominent effect is local irritation.

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) > 94 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EWG, C.1, static)

Aquatic invertebrates:

EC50 (48 h) 20 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 21 mg/l (growth rate), Selenastrum capricornutum (OECD Guideline 201, static)

No observed effect concentration (72 h) 0.76 mg/l (growth rate), Selenastrum capricornutum (OECD Guideline 201, static)

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Information on: Methanone, (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl) Chronic toxicity to aquatic invertebrates:

No observed effect concentration (28 d) 0.022 mg/l, Mysidopsis bahia (Flow through.)

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Methanone, (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl) Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Methanone, (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl) Bioaccumulation potential:

Bioconcentration factor (BCF): 140 - 180 (42 d), Lepomis macrochirus (OECD Guideline 305 E)

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Methanone, (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl) Assessment transport between environmental compartments:

Adsorption in soil. Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METRAFENONE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METRAFENONE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Inland waterway transport

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METRAFENONE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METRAFENONE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: ves

Marine pollutant: YES

Special precautions for

user:

Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METRAFENONE)

Transport hazard class(es): 9, EHSM Packing group:

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

UK REACH SI, Annex XVII, Marketing and Use Restrictions Number on List: 3

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E1

Page: 18/19

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS_CPA_GB/EN)

Date of print 30.07.2025

Classification applies for standard conditions of temperature and pressure.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Skin Sens. Skin sensitization Eye Irrit. Eye irritation

Aquatic Chronic Hazardous to the aquatic environment - chronic Aquatic Acute Hazardous to the aquatic environment - acute

Eye Dam. Serious eye damage

Eve Dam./Irrit. Serious eye damage/eye irritation

Acute Tox. Acute toxicity
Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity — single exposure

Skin Corr. Skin corrosion

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H410 Causes serious eye irritation.

Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H400 Very toxic to aquatic life.H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H315 Causes skin irritation.
H330 Fatal if inhaled.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H335 May cause respiratory irritation.
H301 + H331 Toxic if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H301 Toxic if swallowed.

H310 + H330 Fatal in contact with skin or if inhaled. EUH071 Corrosive to the respiratory tract.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective

time to time.

Date / Revised: 30.07.2025 Version: 12.0

Date / Previous version: 30.05.2025 Previous version: 11.0

Product: Flexity®

(ID no. 30265259/SDS CPA GB/EN)

Date of print 30.07.2025

concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.