

Safety data sheet

Page: 1/19

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Katamaran® Turbo

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

1.3. Details of the supplier of the safety data sheet

Company:

BASF plc

4th and 5th Floors

2 Stockport Exchange

Railway Road, Stockport, SK1 3GG

UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Skin Sens. 1

H317 May cause an allergic skin reaction.

Carc. 2

H351 Suspected of causing cancer.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

Aquatic Acute 1

H400 Very toxic to aquatic life.

Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Globally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:



Signal Word:

Warning

Hazard Statement:

H317

May cause an allergic skin reaction.

H351

Suspected of causing cancer.

H400

Very toxic to aquatic life.

H410

Very toxic to aquatic life with long lasting effects.

EUH401

To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P202

Do not handle until all safety precautions have been read and understood.

P261

Avoid breathing vapours.

P272

Contaminated work clothing should not be allowed out of the workplace.

P280

Wear protective gloves, protective clothing and eye protection or face protection.

Precautionary Statements (Response):

P303 + P352

IF ON SKIN (or hair): Wash with plenty of soap and water.

P308 + P311

IF exposed or concerned: Call a POISON CENTER or physician.

P333 + P311

If skin irritation or rash occurs: Call a POISON CENTER or physician.

P362 + P364

Take off contaminated clothing and wash it before reuse.

P391

Collect spillage.

Precautionary Statements (Storage):

P405

Store locked up.

Precautionary Statements (Disposal):

P501

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

Labeling of special preparations (GHS):

| EUH208: May produce an allergic reaction. Contains: 2-methylisothiazol-3(2H)-one

| Hazard determining component(s) for labelling: dimethenamid-P (ISO); 2-chloro- N-(2,4-dimethyl-3-thienyl)-N- [(2S)-1-methoxypropan-2-yl]acetamide, metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide, 2-methylisothiazol-3(2H)-one

2.3. Other hazardsAccording to Regulation (EC) No 1272/2008 [CLP]

| Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

SECTION 3: Composition/Information on Ingredients**3.1. Substances**

Not applicable

3.2. MixturesChemical nature

crop protection product, Suspo-emulsion (SE), herbicide

Regulatory relevant ingredients

dimethenamid-P (ISO); 2-chloro- N-(2,4-dimethyl-3-thienyl)-N- [(2S)-1-methoxypropan-2-yl]acetamide

Content (W/W): 17.6 %

Acute Tox. 4 (oral)

CAS Number: 163515-14-8

Skin Sens. 1

Aquatic Acute 1

Substance with EU occupational exposure limit

Aquatic Chronic 1

M-factor acute: 10

M-factor chronic: 10

H302, H317, H400, H410

metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Content (W/W): 17.59 %

Skin Sens. 1B

CAS Number: 67129-08-2

Carc. 2

EC-Number: 266-583-0

Aquatic Acute 1

Aquatic Chronic 1

Substance with EU occupational exposure limit

M-factor acute: 100

M-factor chronic: 100

H317, H351, H400, H410

quinmerac (ISO); 7-chloro-3-methylquinoline-8-carboxylic acid

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

	Content (W/W): 8.82 %	Aquatic Acute 1
	CAS Number: 90717-03-6	Aquatic Chronic 1
	EC-Number: 402-790-6	H400, H410
	REACH registration number: 01-0000015252-80	
Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt		
	Content (W/W): < 5 %	Eye Dam./Irrit. 2
	CAS Number: 102980-04-1	Aquatic Chronic 3
		H319, H412
2-methylisothiazol-3(2H)-one		
	Content (W/W): < 0.005 %	Acute Tox. 2 (Inhalation - dust)
	CAS Number: 2682-20-4	Acute Tox. 3 (oral)
	EC-Number: 220-239-6	Acute Tox. 3 (dermal)
	REACH registration number: 01-2120764690-50	Skin Corr. 1B
	INDEX-Number: 613-326-00-9	Eye Dam. 1
		Skin Sens. 1A
		Aquatic Acute 1
		Aquatic Chronic 1
		M-factor acute: 10
		M-factor chronic: 1
		H330, H317, H314, H301 + H311, H400, H410
		EUH071
		<u>Specific concentration limit:</u>
		Skin Sens. 1A: >= 0.0015 %
Propane-1,2-diol		
	Content (W/W): < 10 %	
	CAS Number: 57-55-6	
	EC-Number: 200-338-0	
	REACH registration number: 01-2119456809-23	

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds, cyanides, silica compounds, sodium oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: -5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

57-55-6: Propane-1,2-diol

TWA value 474 mg/m³ ; 150 ppm (WEL/EH 40 (UK)), Total vapour and particulates

TWA value 10 mg/m³ (WEL/EH 40 (UK)), Particulate

67129-08-2: metazachlor (ISO)

TWA value 1.13 mg/m³ (BASF recomm. occupational exposure limit)

163515-14-8: 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(2S)-1-methoxypropan-2-yl]acetamide

TWA value 0.2 mg/m³ (BASF recomm. occupational exposure limit)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid	
Form:	liquid	
Colour:	off-white	
Odour:	fruity	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
crystallization temperature:	approx. -6.3 °C	(measured)
Boiling point:	approx. 100 °C	
Flammability:	Information applies to the solvent.	
	not flammable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Flash point:	No flash point - Measurement made up to the boiling point.	(Directive 92/69/EEC, A.9)
Auto-ignition temperature:	468 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	150 °C, > 580 kJ/kg (DSC (OECD 113)) (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
SADT:	> 75 °C	
pH value:	Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
	approx. 3 - 5 (CIPAC standard water D, 1 %(m), 20 °C)	
Viscosity, kinematic:	approx. 64.9 mm ² /s (40 °C)	(OECD Guideline 114)
Viscosity, dynamic:	approx. 95 mPa.s (20 °C, 100 1/s)	
Thixotropy:	not thixotropic	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Kow):	The statements are based on the properties of the individual components.	

Information on: metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

Partitioning coefficient *n*-octanol/water (log K_{ow}): 2.13
(22 °C)

Information on: dimethenamid-P (ISO); 2-chloro- N-(2,4-dimethyl-3-thienyl)-N- [(2S)-1-methoxypropan-2-yl]acetamide

Partitioning coefficient *n*-octanol/water (log K_{ow}): 1.89

Information on: quinmerac (ISO); 7-chloro-3-methylquinoline-8-carboxylic acid

Partitioning coefficient *n*-octanol/water (log K_{ow}): -1.41 (OECD Guideline 117)
(21 °C; pH value: 7)

Vapour pressure: approx. 23.4 hPa
(20 °C)

Information applies to the solvent.

Density: approx. 1.14 g/cm³ (OECD Guideline 109)
(20 °C)

Relative vapour density (air):
not determined

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive (calculated)

Oxidizing properties

Fire promoting properties: not fire-propagating (Directive 2004/73/EC, A.21)

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

LC50 rat (by inhalation): > 5.2 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:

| Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation

| rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

| *Information on: dimethenamid-P (ISO); 2-chloro- N-(2,4-dimethyl-3-thienyl)-N- [(2S)-1-methoxypropan-2-yl]acetamide*

| *Experimental/calculated data:*

| *Buehler test guinea pig: skin sensitizing (OECD Guideline 406)*

| *Information on: metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide*

| *Experimental/calculated data:*

| *Guinea pig maximization test guinea pig: skin sensitizing (similar to OECD guideline 406)*

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

| *Information on: quinmerac (ISO); 7-chloro-3-methylquinoline-8-carboxylic acid*

| *Experimental/calculated data:*

| *Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)*

| *An aqueous solution was tested.*

| *Information on: 2-methylisothiazol-3(2H)-one*

| *Experimental/calculated data:*

| *Buehler test guinea pig: skin sensitizing (OECD Guideline 406)*

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

Information on: dimethenamid-P (ISO); 2-chloro- N-(2,4-dimethyl-3-thienyl)-N- [(2S)-1-methoxypropan-2-yl]acetamide

Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Information on: metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Assessment of repeated dose toxicity:

Repeated exposure to large quantities may affect certain organs. Based on available data, the classification criteria are not met.

Aspiration hazard

| not applicable

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

| Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 20.2 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) 66 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

Aquatic plants:

| EC50 (72 h) 0.103 mg/l, *Pseudokirchneriella subcapitata* (OECD Guideline 201)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

EC10 (7 d) 0.00104 mg/l, Lemna gibba (OECD Guideline 221)

EC50 (7 d) 0.086 mg/l, Lemna gibba (OECD Guideline 221)

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: dimethenamid-P (ISO); 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(2S)-1-methoxypropan-2-yl]acetamide

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: quinmerac (ISO); 7-chloro-3-methylquinoline-8-carboxylic acid

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Assessment bioaccumulation potential:

No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).

Information on: quinmerac (ISO); 7-chloro-3-methylquinoline-8-carboxylic acid

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: dimethenamid-P (ISO); 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(2S)-1-methoxypropan-2-yl]acetamide

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: dimethenamid-P (ISO); 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(2S)-1-methoxypropan-2-yl]acetamide

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: quinmerac (ISO); 7-chloro-3-methylquinoline-8-carboxylic acid

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EU) 2024/590 on substances that deplete the ozone layer.

Results of PMT and vPvM assessment

The product does not contain a substance fulfilling the PMT criteria. The product does not contain a substance fulfilling the vPvM criteria.

Additional information

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (METAZACHLOR, DIMETHENAMID-P)

Transport hazard class(es): 9, EHS

Packing group: III

Environmental hazards: yes

Special precautions for
user: None known

RID

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (METAZACHLOR, DIMETHENAMID-P)

Transport hazard class(es): 9, EHS

Packing group: III

Environmental hazards: yes

Special precautions for
user: None known

Inland waterway transport

ADN

UN number or ID number: UN3082

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (METAZACHLOR, DIMETHENAMID-P)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (METAZACHLOR, DIMETHENAMID-P)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (METAZACHLOR, DIMETHENAMID-P)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Prohibitions, Restrictions and Authorizations**

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

List entry in regulation: E1

Classification applies for standard conditions of temperature and pressure.

To avoid risks to man and the environment, comply with the instructions for use.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Skin Sens.	Skin sensitization
Carc.	Carcinogenicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Acute Tox.	Acute toxicity
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Corr.	Skin corrosion
Eye Dam.	Serious eye damage
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
H330	Fatal if inhaled.
H314	Causes severe skin burns and eye damage.
H301 + H311	Toxic if swallowed or in contact with skin.
EUH071	Corrosive to the respiratory tract.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.10.2025

Version: 2.0

Date / Previous version: 14.10.2024

Previous version: 1.0

Product: **Katamaran® Turbo**

(ID no. 30441651/SDS_CPA_XI/EN)

Date of print 24.10.2025

TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.