

# Safety data sheet

Page: 1/18

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## Limus Clear

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: fertilizers

### 1.3. Details of the supplier of the safety data sheet

Company:BASF SE  
67056 Ludwigshafen  
GERMANYContact address:BASF plc  
4th and 5th Floors, 2 Stockport Exchange  
Railway Road, Stockport, SK1 3GG  
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-north@basf.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

---

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

|                     |   |
|---------------------|---|
| Skin Corr./Irrit. 2 | H315 Causes skin irritation.                            |
| Eye Dam./Irrit. 2   | H319 Causes serious eye irritation.                     |
| Repr. 2             | H361f Suspected of damaging fertility.                  |
| Aquatic Chronic 3   | H412 Harmful to aquatic life with long lasting effects. |

For the classifications not written out in full in this section the full text can be found in section 16.

## 2.2. Label elements

Globally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:



Signal Word:  
Warning

Hazard Statement:

|        |   |
|--------|---|
| H319   | Causes serious eye irritation.  |
| H315   | Causes skin irritation.   |
| H361f  | Suspected of damaging fertility.  |
| H412   | Harmful to aquatic life with long lasting effects.  |
| EUH401 | To avoid risks to human health and the environment, comply with the instructions for use. |

Precautionary Statement:

|      |   |
|------|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children.  |
| P103 | Read carefully and follow all instructions.                           |

Precautionary Statements (Prevention):

|      |  |
|------|--|
| P280 | Wear protective gloves, protective clothing and eye protection or face protection. |
| P201 | Obtain special instructions before use.  |
| P202 | Do not handle until all safety precautions have been read and understood.          |
| P264 | Wash contaminated body parts thoroughly after handling.                            |

Precautionary Statements (Response):

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P332 + P313 If skin irritation occurs: Get medical attention.  
P337 + P313 If eye irritation persists: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Hazard determining component(s) for labelling: N-butylphosphorothioic triamide (NBPT), N-propylphosphorothioic triamide (NPPT), Polyethyleneimine

### 2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

See section 12 - Results of PBT and vPvB assessment.

Contains Phosphorothioic triamide, N-butyl- The repeated administration of high dose levels is suspected to cause reduction of Cholinesterase activity.

---

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical nature

additives

Hazardous ingredients (GHS)

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

N-butylphosphorothioic triamide (NBPT)

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

Content (W/W): 18.9 %  
CAS Number: 94317-64-3  
EC-Number: 435-740-7  
REACH registration number: 01-0000018183-74

Eye Dam./Irrit. 1  
Repr. 2 (fertility)  
H318, H361f

**N-propylphosphorothioic triamide (NPPT)**

Content (W/W): 6.3 %  
CAS Number: 916809-14-8  
REACH registration number: 01-2120090812-55

Eye Dam./Irrit. 2  
Repr. 2 (fertility)  
H319, H361f

**Polyethyleneimine**

Content (W/W): < 10 %  
CAS Number: 9002-98-6

Acute Tox. 4 (oral)  
Eye Dam./Irrit. 1  
Aquatic Chronic 2  
H318, H302, H411

**Propane-1,2-diol**

Content (W/W): < 55 %  
CAS Number: 57-55-6  
EC-Number: 200-338-0  
REACH registration number: 01-2119456809-23

**Dimethyl sulfoxide**

Content (W/W): < 25 %  
CAS Number: 67-68-5  
EC-Number: 200-664-3  
REACH registration number: 01-2119431362-50

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

---

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital function), administer atropine for cholinesterasis inhibition.

---

## **SECTION 5: Fire-Fighting Measures**

### **5.1. Extinguishing media**

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

### **5.2. Special hazards arising from the substance or mixture**

Endangering substances: carbon monoxide, ammonia, anhydrous, Carbon dioxide, Hydrogen sulphide, phosphine, hydrogen chloride, nitrogen oxides, sulfur oxides, phosphorus oxides, halogenated compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

### **5.3. Advice for fire-fighters**

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## **SECTION 6: Accidental Release Measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### **6.2. Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

---

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

### **6.3. Methods and material for containment and cleaning up**

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

### **6.4. Reference to other sections**

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## **SECTION 7: Handling and Storage**

### **7.1. Precautions for safe handling**

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### **7.2. Conditions for safe storage, including any incompatibilities**

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: -10 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### **7.3. Specific end use(s)**

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## **SECTION 8: Exposure Controls/Personal Protection**

### **8.1. Control parameters**

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

### Components with occupational exposure limits

57-55-6: Propane-1,2-diol

TWA value 474 mg/m<sup>3</sup> ; 150 ppm (WEL/EH 40 (UK)), Total vapour and particulates

TWA value 10 mg/m<sup>3</sup> (WEL/EH 40 (UK)), Particulate

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

## **8.2. Exposure controls**

### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

### General safety and hygiene measures

Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

---

## **SECTION 9: Physical and Chemical Properties**

### **9.1. Information on basic physical and chemical properties**

Form: liquid  
Colour: colourless to slightly yellow  
clear  
Odour: moderate odour, aromatic

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

|  |  |                              |
|--|--|------------------------------|
| Odour threshold:   | Not determined due to potential health hazard by inhalation.   |                              |
| pH value:  | approx. 9.5 - 11.5<br>(CIPAC standard water D, 1 %(m), 20 °C)  |                              |
| Melting point:   | The product has not been tested.   |                              |
| Boiling point:   | approx. 178 °C   | (OECD Guideline 103)         |
| Flash point:   | approx. 100 °C   | (Directive 92/69/EEC, A.9)   |
| Evaporation rate:  | not applicable   |                              |
| Flammability:  | not applicable   |                              |
| Lower explosion limit:   | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |                              |
| Upper explosion limit:   | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |                              |
| Ignition temperature:  | Information applies to the solvent.  |                              |
| <i>Information on: Propane-1,2-diol</i>                        |  |                              |
| <i>Ignition temperature:</i>                                   | > 400 °C   | (Directive 84/449/EEC, A.15) |
| Vapour pressure:   | approx. 0.2 hPa<br>(25 °C)   |                              |
| Density:   | Information applies to the solvent.<br>approx. 1.09 g/cm <sup>3</sup><br>(20 °C)   |                              |
| Relative vapour density (air):                                 | not applicable   |                              |
| Solubility in water:   | soluble<br>(20 °C)   |                              |
| Partitioning coefficient n-octanol/water (log Kow):            | The statements are based on the properties of the individual components.   |                              |
| <i>Information on: N-butylphosphorothioic triamide (NBPT)</i>  |  |                              |
| <i>Partitioning coefficient n-octanol/water (log Kow):</i>     | 0.444<br>(20 °C; pH value: approx. 7)  | (OECD Guideline 107)         |
| <i>Information on: N-propylphosphorothioic triamide (NPPT)</i> |  |                              |



---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

---

Partitioning coefficient *n*-octanol/water (*log Kow*): < 0.3 (OECD Guideline 117)  
(24 °C)

-----  
Thermal decomposition: 179 °C, 327 kJ/kg,  
(onset temperature)  
275 °C, 124 kJ/kg,  
(onset temperature)  
Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Viscosity, dynamic: approx. 47 mPa.s  
(20 °C)

Explosion hazard: not explosive

Fire promoting properties: Based on its structural properties  
the product is not classified as  
oxidizing.

## 9.2. Other information

SADT: > 75 °C  
Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)

---

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:  
strong acids, strong bases, strong oxidizing agents

### 10.6. Hazardous decomposition products

Hazardous decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Experimental/calculated data:

rat (oral): > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

(by inhalation): The product has not been tested. The statement has been derived from the properties of the individual components.

rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

*Information on: N-butylphosphorothioic triamide (NBPT)*

*Experimental/calculated data:*

*LC50 rat (by inhalation): > 2.1 mg/l 4 h (OECD Guideline 403)*

*Tested as dust aerosol.*

### Irritation

Assessment of irritating effects:

Eye contact causes irritation. Skin contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Irritant.

Serious eye damage/irritation

rabbit: Irritant.

### Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: N-propylphosphorothioic triamide (NPPT)*

*Assessment of sensitization:*

*Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

*Information on: N-butylphosphorothioic triamide (NBPT)*

*Assessment of sensitization:*

*After continuous contact with the skin, sensitization cannot be excluded.*

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

---

#### Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: N-butylphosphorothioic triamide (NBPT)*

*Assessment of reproduction toxicity:*

*The results of animal studies suggest a fertility impairing effect.*

*Information on: N-propylphosphorothioic triamide (NPPT)*

*Assessment of reproduction toxicity:*

*The potential to impair fertility cannot be excluded. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

-----

#### Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

---

*Information on: Phosphorothioic triamide, N-butyl-*

*Assessment of repeated dose toxicity:*

*The repeated administration of high dose levels is suspected to cause reduction of Cholinesterase activity. The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.*

-----

#### Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.

No aspiration hazard expected.

#### Other relevant toxicity information

Misuse can be harmful to health.

---

## **SECTION 12: Ecological Information**

### **12.1. Toxicity**

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Aquatic invertebrates:

EC50 (48 h) 60.2 mg/l, Daphnia magna

*Information on: N-butylphosphorothioic triamide (NBPT)*

*Toxicity to fish:*

*LC50 (96 h) 1,140 mg/l, Lepomis macrochirus (OPPTS 820.1075 (EPA-Guideline), static)*

*The details of the toxic effect relate to the nominal concentration.*

*Information on: Polyethyleneimine*

*Toxicity to fish:*

*LC50 (96 h) > 10 - 100 mg/l, Leuciscus idus (OECD Guideline 203)*

-----

*Information on: N-butylphosphorothioic triamide (NBPT)*

*Aquatic plants:*

*EC50 (72 h) 280 mg/l, Scenedesmus subspicatus (OECD Guideline 201, static)*

*The details of the toxic effect relate to the nominal concentration.*

*No observed effect concentration (72 h) 75 mg/l, Scenedesmus subspicatus (OECD Guideline 201, static)*

*The details of the toxic effect relate to the nominal concentration.*

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

*Information on: Polyethyleneimine*

*Aquatic plants:*

*EC50 (72 h) > 1 - 10 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201) acute Effect*

*EC10 (72 h) 1 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201) long-term effect*  
-----

*Information on: N-propylphosphorothioic triamide (NPPT)*

*Chronic toxicity to aquatic invertebrates:*

*EC50 19 mg/l, Daphnia magna*  
-----

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: N-propylphosphorothioic triamide (NPPT)*

*Assessment biodegradation and elimination (H<sub>2</sub>O):*

*Not readily biodegradable (by OECD criteria).*

*Information on: Polyethyleneimine*

*Assessment biodegradation and elimination (H<sub>2</sub>O):*

*Not readily biodegradable (by OECD criteria).*  
-----

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: N-butylphosphorothioic triamide (NBPT)*

*Assessment bioaccumulation potential:*

*Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*

*Information on: N-propylphosphorothioic triamide (NPPT)*

*Assessment bioaccumulation potential:*

*Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*  
-----

## 12.4. Mobility in soil

Assessment transport between environmental compartments:

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

---

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: N-butylphosphorothioic triamide (NBPT)*

*Assessment transport between environmental compartments:*

*Volatility: The substance will slowly evaporate into the atmosphere from the water surface.*

*Adsorption in soil: Adsorption to solid soil phase is not expected.*

*Information on: N-propylphosphorothioic triamide (NPPT)*

*Assessment transport between environmental compartments:*

*Volatility: The substance will not evaporate into the atmosphere from the water surface.*

*Adsorption in soil: Adsorption to solid soil phase is not expected.*

-----

## 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

## 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## 12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

## SECTION 14: Transport Information

### Land transport

ADR

|                              |  |
|------------------------------|--|
|                              | Not classified as a dangerous good under transport regulations |
| UN number or ID number:      | Not applicable   |
| UN proper shipping name:     | Not applicable   |
| Transport hazard class(es):  | Not applicable   |
| Packing group:               | Not applicable   |
| Environmental hazards:       | Not applicable   |
| Special precautions for user | None known   |

RID

|                              |  |
|------------------------------|--|
|                              | Not classified as a dangerous good under transport regulations |
| UN number or ID number:      | Not applicable   |
| UN proper shipping name:     | Not applicable   |
| Transport hazard class(es):  | Not applicable   |
| Packing group:               | Not applicable   |
| Environmental hazards:       | Not applicable   |
| Special precautions for user | None known   |

### Inland waterway transport

ADN

|                               |  |
|-------------------------------|--|
|                               | Not classified as a dangerous good under transport regulations |
| UN number or ID number:       | Not applicable   |
| UN proper shipping name:      | Not applicable   |
| Transport hazard class(es):   | Not applicable   |
| Packing group:                | Not applicable   |
| Environmental hazards:        | Not applicable   |
| Special precautions for user: | None known   |

Transport in inland waterway vessel

Not evaluated

### Sea transport

IMDG

|                          |  |
|--------------------------|--|
|                          | Not classified as a dangerous good under transport regulations |
| UN number or ID number:  | Not applicable   |
| UN proper shipping name: | Not applicable   |

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

---

Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

### **Air transport**

#### **IATA/ICAO**

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

#### **14.1. UN number or ID number**

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

#### **14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### **14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### **14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### **14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### **14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### **14.7. Maritime transport in bulk according to IMO instruments**

Maritime transport in bulk is not intended.

---



BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

## SECTION 15: Regulatory Information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):  
Listed in above regulation: no

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

## SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

|                   |   |
|-------------------|---|
| Skin Corr./Irrit. | Skin corrosion/irritation   |
| Eye Dam./Irrit.   | Serious eye damage/eye irritation   |
| Repr.             | Reproductive toxicity   |
| Aquatic Chronic   | Hazardous to the aquatic environment - chronic  |
| Acute Tox.        | Acute toxicity  |
| H319              | Causes serious eye irritation.  |
| H315              | Causes skin irritation.   |
| H361f             | Suspected of damaging fertility.  |
| H412              | Harmful to aquatic life with long lasting effects.  |
| EUH401            | To avoid risks to human health and the environment, comply with the instructions for use. |
| H318              | Causes serious eye damage.  |
| H302              | Harmful if swallowed.   |
| H411              | Toxic to aquatic life with long lasting effects.  |

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.  
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards.

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.02.2022

Version: 4.0

Date previous version: 23.05.2019

Previous version: 3.0

Date / First version: 11.07.2018

Product: **Limus Clear**

(ID no. 30705398/SDS\_GEN\_GB/EN)

Date of print 14.02.2022

---

IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.