

# Safety data sheet

Page: 1/17

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0 Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

# **Medax Max**

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, Plant growth regulator

# 1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF plc

4th and 5th Floors, 2 Stockport Exchange Railway Road, Stockport, SK1 3GG

UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

# 1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

# **SECTION 2: Hazards Identification**

# 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0 Date / First version: 24.11.2015

Product: **Medax Max** 

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:



Hazard Statement:

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Precautionary Statements (Response): P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal

contractor or collection site except for empty clean containers which can

be disposed of as non-hazardous waste.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: trinexapac-ethyl (ISO); ethyl 4-cyclopropyl(hydroxy)methylene-3,5-dioxocyclohexanecarboxylate

#### 2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

# **SECTION 3: Composition/Information on Ingredients**

### 3.1. Substances

Not applicable

# 3.2. Mixtures

# Chemical nature

crop protection product, growth regulator, water dispersible granules

# Hazardous ingredients (GHS)

trinexapac-ethyl (ISO); ethyl 4-cyclopropyl(hydroxy)methylene-3,5-dioxocyclohexanecarboxylate

Content (W/W): 7.6 % Skin Sens. 1B

CAS Number: 95266-40-3 STOT RE (digestive tract) 2

Aquatic Chronic 1 M-factor chronic: 1 H317, H373, H410

prohexadione calcium

Content (W/W): 4.97 % Aquatic Acute 1

CAS Number: 127277-53-6 H400

Alcohols, C-9-11-branched and linear, butoxylated ethoxylated

Content (W/W): < 10 % Skin Corr./Irrit. 2 CAS Number: 111905-52-3 Eye Dam./Irrit. 2

Aquatic Chronic 3 H319, H315, H412

Ammonium sulphate

Content (W/W): < 40 % CAS Number: 7783-20-2 EC-Number: 231-984-1

REACH registration number: 01-

2119455044-46

Silica gel, precipitated, crystalline free

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

Content (W/W): < 20 %
CAS Number: 112926-00-8
REACH registration number: 01-

2119379499-16

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

# **SECTION 4: First-Aid Measures**

# 4.1. Description of first aid measures

Show container, label and/or safety data sheet to physician.

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

### SECTION 5: Fire-Fighting Measures

# 5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

# 5.2. Special hazards arising from the substance or mixture

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015 Product: **Medax Max** 

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

Endangering substances: carbon monoxide, hydrogen chloride, Carbon dioxide, nitrogen oxides, sulfur oxides, silica compounds, halogenated compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

# 5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### **SECTION 6: Accidental Release Measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

# 6.3. Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

# **SECTION 7: Handling and Storage**

# 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

# 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

# 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

# **SECTION 8: Exposure Controls/Personal Protection**

# 8.1. Control parameters

Components with occupational exposure limits

112926-00-8: Silica gel, precipitated, crystalline free

TWA value 6 mg/m3 (WEL/EH 40 (UK)), Inhalable dust TWA value 2.4 mg/m3 (WEL/EH 40 (UK)), Respirable dust TWA value 10 mg/m3 (WEL/EH 40 (UK)), Inhalable dust TWA value 4 mg/m3 (WEL/EH 40 (UK)), Respirable dust

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

# 8.2. Exposure controls

#### Personal protective equipment

Respiratory protection:

Respiratory protection not required.

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

# Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

# General safety and hygiene measures

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

Form: solid Colour: brown

Odour: moderate odour, smoky

Odour threshold:

Not determined due to potential

health hazard by inhalation.

pH value: approx. 5 - 7

(24 °C)

Melting temperature:

The product has not been tested.

boiling temperature:

The product has not been tested.

Flash point:

not applicable, the product is a solid

Evaporation rate:

not applicable

Flammability: not highly flammable

(Regulation 440/2008/EC,

A.10)

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Vapour pressure:

not applicable

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

The statements are based on the

properties of the individual

components.

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

Information on: prohexadione calcium

Partitioning coefficient n-octanol/water (log Kow): -2.9

(20 °C)

Information on: trinexapac-ethyl (ISO); ethyl 4-cyclopropyl(hydroxy)methylene-3,5-

dioxocyclohexanecarboxylate

Partitioning coefficient n-octanol/water (log Kow): -0.29

(25 °C; pH value: 7)

-----

Self ignition:

Temperature: 259.0 °C (Method: Regulation 440/2008/EC, A.16)

Thermal decomposition: 175 °C, 40 kJ/kg, (DSC (OECD 113))

(onset temperature)

455 °C, > 50 kJ/kg, (DSC (OECD 113))

(onset temperature)

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

Viscosity, dynamic:

not applicable, the product is a solid

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

#### 9.2. Other information

Self heating ability: It is not a substance capable of

spontaneous heating.

Minimum ignition energy: > 10 mJ

< 30 mJ (VDI 2263, sheet 1, 2.5)

(1 hPa, 20 °C)

Inductivity: 1 mH

Bulk density: approx. 650 - 750 kg/m3

Grain size distribution approx. 1.9 µm (D10)

approx. 7.5 μm (D50) approx. 20.5 μm (D90)

# **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

# 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

# 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

time to time.

Date / Revised: 29.07.2022 Version: 6.0
Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

# 10.5. Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

# 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

# **SECTION 11: Toxicological Information**

# 11.1. Information on toxicological effects

# Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

LC50 rat (by inhalation): > 1.8 mg/l 4 h (OECD Guideline 403)

The value meets the highest applied test concentration. No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

In vitro assay: non-irritant (OECD Guidelines 431/439)

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

### Respiratory/Skin sensitization

Assessment of sensitization:

time to time.

Date / Revised: 29.07.2022 Version: 6.0
Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

There is no evidence of a skin-sensitizing potential.

### Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing.

#### Germ cell mutagenicity

# Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

# Carcinogenicity

### Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

#### Reproductive toxicity

#### Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Developmental toxicity

#### Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

# Specific target organ toxicity (single exposure)

# Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

# Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

# Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Silica gel, precipitated, crystalline free

Assessment of repeated dose toxicity:

The substance may cause damage to the lung after repeated inhalation of high doses.

time to time.

Date / Revised: 29.07.2022 Version: 6.0
Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

Information on: trinexapac-ethyl (ISO); ethyl 4-cyclopropyl(hydroxy)methylene-3,5-

dioxocyclohexanecarboxylate

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs.

-----

#### Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

# Other relevant toxicity information

Misuse can be harmful to health.

# **SECTION 12: Ecological Information**

#### 12.1. Toxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 2.67 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) 7.63 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (7 d) 18.9 mg/l (growth rate), Lemna gibba (OECD guideline 221, semistatic)

EC10 (7 d) 0.9 mg/l (growth rate), Lemna gibba (OECD guideline 221, semistatic)

EC50 (72 h) 24.54 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

EC10 (72 h) 7.83 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

# 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: prohexadione calcium

Assessment biodegradation and elimination (H2O):

According to OECD criteria the product is not readily biodegradable but inherently biodegradable.

Page: 12/17

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 29.07.2022 Version: 6.0
Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

Information on: trinexapac-ethyl (ISO); ethyl 4-cyclopropyl(hydroxy)methylene-3,5-

dioxocyclohexanecarboxylate

Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

----- (Sy

# 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: prohexadione calcium

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: trinexapac-ethyl (ISO); ethyl 4-cyclopropyl(hydroxy)methylene-3,5-

dioxocyclohexanecarboxylate

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to

be expected.

\_\_\_\_\_

## 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: prohexadione calcium

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: trinexapac-ethyl (ISO); ethyl 4-cyclopropyl(hydroxy)methylene-3,5-dioxocyclohexanecarboxylate

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

acgradation be transport

#### 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

#### 12.6. Other adverse effects

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

# 12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# **SECTION 14: Transport Information**

# **Land transport**

**ADR** 

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains TRINEXAPAC-ETHYL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains TRINEXAPAC-ETHYL)

Transport hazard class(es): 9, EHSM

Packing group: III

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

Environmental hazards: ves

Special precautions for

None known

user:

#### **Inland waterway transport**

ADN

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains TRINEXAPAC-ETHYL)

Transport hazard class(es): 9, EHSM

Packing group: Ш

Environmental hazards: yes

Special precautions for None known

user:

#### Transport in inland waterway vessel

Not evaluated

# Sea transport

**IMDG** 

UN number or ID number: UN 3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains TRINEXAPAC-ETHYL)

Transport hazard class(es): 9, EHSM Ш

Packing group: Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

### Air transport

IATA/ICAO

UN number or ID number: UN 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. UN proper shipping name:

(contains TRINEXAPAC-ETHYL)

Transport hazard class(es): 9. EHSM

Packing group: Ш Environmental hazards: ves

Special precautions for

user:

None known

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

# 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

# 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

# 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

# 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

# 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

# **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0

Date / First version: 24.11.2015

Product: Medax Max

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E2

This product is classified under the European CLP Regulation.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

# 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

#### **SECTION 16: Other Information**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Aguatic Chronic Hazardous to the aguatic environment - chronic

Skin Sens. Skin sensitization

STOT RE Specific target organ toxicity — repeated exposure Aquatic Acute Hazardous to the aquatic environment - acute

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs (digestive tract) through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.
H319 Causes serious eye irritation.
H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective

time to time.

Date / Revised: 29.07.2022 Version: 6.0

Date previous version: 29.06.2022 Previous version: 5.0 Date / First version: 24.11.2015

Product: **Medax Max** 

(ID no. 30639190/SDS\_CPA\_GB/EN)

Date of print 29.07.2022

concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.