

Safety data sheet

Page: 1/17

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023

Version: 7.0

Date previous version: 29.07.2022

Previous version: 6.0

Date / First version: 24.11.2015

Product: **Medax Max**

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Medax Max

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, Plant growth regulator

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE
67056 Ludwigshafen
GERMANY

Contact address:

BASF plc
4th and 5th Floors, 2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023
 Date previous version: 29.07.2022
 Date / First version: 24.11.2015
 Product: **Medax Max**

Version: 7.0
 Previous version: 6.0

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

Aquatic Chronic 2

H411 Toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:



Hazard Statement:

H411 Toxic to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statements (Response):

P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: trinexapac-ethyl (ISO); ethyl 4-[cyclopropyl (hydroxy) methylene]-3,5-dioxocyclohexanecarboxylate

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023
 Date previous version: 29.07.2022
 Date / First version: 24.11.2015
 Product: **Medax Max**

Version: 7.0
 Previous version: 6.0

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, growth regulator, water dispersible granules

Hazardous ingredients (GHS)

trifloxymetolachlor (ISO); ethyl 4-[cyclopropyl (hydroxy) methylene]-3,5-dioxocyclohexanecarboxylate

Content (W/W): 7.6 %	Skin Sens. 1B
CAS Number: 95266-40-3	STOT RE (Gastrointestinal tract) 2
INDEX-Number: 607-752-00-4	Aquatic Chronic 1
	M-factor chronic: 1
	H317, H373, H410

prohexadione calcium

Content (W/W): 4.97 %	Aquatic Acute 1
CAS Number: 127277-53-6	Aquatic Chronic 2
	H411, H400

Alcohols, C-9-11-branched and linear, butoxylated ethoxylated

Content (W/W): < 10 %	Skin Corr./Irrit. 2
CAS Number: 111905-52-3	Eye Dam./Irrit. 2
	Aquatic Chronic 3
	H319, H315, H412

Ammonium sulphate

Content (W/W): < 40 %
CAS Number: 7783-20-2
EC-Number: 231-984-1
REACH registration number: 01-2119455044-46

Silica gel, precipitated, crystalline free

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023

Version: 7.0

Date previous version: 29.07.2022

Previous version: 6.0

Date / First version: 24.11.2015

Product: **Medax Max**

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

Content (W/W): < 20 %
CAS Number: 112926-00-8
REACH registration number: 01-
2119379499-16

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Show container, label and/or safety data sheet to physician.

| Remove contaminated clothing.

If inhaled:

| Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

| Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

| Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

| Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

| Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023

Version: 7.0

Date previous version: 29.07.2022

Previous version: 6.0

Date / First version: 24.11.2015

Product: **Medax Max**

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, hydrogen chloride, nitrogen oxides, sulfur oxides, silica compounds, halogenated compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023

Version: 7.0

Date previous version: 29.07.2022

Previous version: 6.0

Date / First version: 24.11.2015

Product: **Medax Max**

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

112926-00-8: Silica gel, precipitated, crystalline free

TWA value 6 mg/m³ (WEL/EH 40 (UK)), Inhalable dust

TWA value 2.4 mg/m³ (WEL/EH 40 (UK)), Respirable dust

TWA value 10 mg/m³ (WEL/EH 40 (UK)), Inhalable dust

TWA value 4 mg/m³ (WEL/EH 40 (UK)), Respirable dust

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Suitable respiratory protection for higher concentrations or long-term effect: Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023
 Date previous version: 29.07.2022
 Date / First version: 24.11.2015
 Product: **Medax Max**

Version: 7.0
 Previous version: 6.0

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	solid	
Colour:	brown	
Odour:	moderate odour, smoky	
Odour threshold:		
	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 5 - 7 (24 °C)	
Melting point:		
	The product has not been tested.	
Boiling point:		
	The product has not been tested.	
Flash point:		
	not applicable, the product is a solid	
Evaporation rate:		
	not applicable	
Flammability:	not highly flammable	(Regulation 440/2008/EC, A.10)
Lower explosion limit:		
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:		
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Vapour pressure:		
	not applicable	
Relative vapour density (air):		
	not applicable	

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023
 Date previous version: 29.07.2022
 Date / First version: 24.11.2015
 Product: **Medax Max**

Version: 7.0
 Previous version: 6.0

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

Solubility in water: dispersible
 Partitioning coefficient n-octanol/water (log Kow):
 The statements are based on the
 properties of the individual
 components.

Information on: prohexadione calcium

Partitioning coefficient n-octanol/water (log Kow): -2.9
 (20 °C)

 Self ignition: Temperature: 259.0 °C (Method: Regulation
 440/2008/EC, A.16)

Thermal decomposition: 175 °C, 40 kJ/kg, (DSC (OECD 113))
 (onset temperature)
 455 °C, > 50 kJ/kg, (DSC (OECD 113))
 (onset temperature)
 Not a substance liable to self-decomposition according to UN transport
 regulations, class 4.1.

Viscosity, dynamic: not applicable, the product is a solid

Explosion hazard: not explosive
 Fire promoting properties: not fire-propagating

9.2. Other information

Self heating ability: It is not a substance capable of
 spontaneous heating.

Minimum ignition energy: > 10 mJ
 < 30 mJ (VDI 2263, sheet 1, 2.5)
 (1 hPa, 20 °C)

Inductivity: 1 mH
 Bulk density: approx. 650 - 750 kg/m³
 Grain size distribution approx. 1.9 µm (D10)
 approx. 7.5 µm (D50)
 approx. 20.5 µm (D90)

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023

Version: 7.0

Date previous version: 29.07.2022

Previous version: 6.0

Date / First version: 24.11.2015

Product: **Medax Max**

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

LC50 rat (by inhalation): > 1.8 mg/l 4 h (OECD Guideline 403)

The value meets the highest applied test concentration. No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

In vitro assay: non-irritant (OECD Guidelines 431/439)

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023

Version: 7.0

Date previous version: 29.07.2022

Previous version: 6.0

Date / First version: 24.11.2015

Product: **Medax Max**

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: *trinexapac-ethyl (ISO); ethyl 4-[cyclopropyl (hydroxy) methylene]-3,5-dioxocyclohexanecarboxylate*

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs. EU-classification

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023

Version: 7.0

Date previous version: 29.07.2022

Previous version: 6.0

Date / First version: 24.11.2015

Product: **Medax Max**

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

Information on: Silica gel, precipitated, crystalline free

Assessment of repeated dose toxicity:

The substance may cause damage to the lung after repeated inhalation of high doses.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 2.67 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 84/449/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) 7.63 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (7 d) 18.9 mg/l (growth rate), *Lemna gibba* (OECD guideline 221, semistatic)

EC10 (7 d) 0.9 mg/l (growth rate), *Lemna gibba* (OECD guideline 221, semistatic)

EC50 (72 h) 24.54 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

EC10 (72 h) 7.83 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: prohexadione calcium

Assessment biodegradation and elimination (H₂O):

Readily biodegradable.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023
Date previous version: 29.07.2022
Date / First version: 24.11.2015
Product: **Medax Max**

Version: 7.0
Previous version: 6.0

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: prohexadione calcium

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: prohexadione calcium

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023
Date previous version: 29.07.2022
Date / First version: 24.11.2015
Product: **Medax Max**

Version: 7.0
Previous version: 6.0

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains TRINEXAPAC-ETHYL)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

RID

UN number or ID number: UN3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains TRINEXAPAC-ETHYL)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Inland waterway transport

ADN

UN number or ID number: UN3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains TRINEXAPAC-ETHYL)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023
Date previous version: 29.07.2022
Date / First version: 24.11.2015
Product: **Medax Max**

Version: 7.0
Previous version: 6.0

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains TRINEXAPAC-ETHYL)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES

Special precautions for user:

Air transport

IATA/ICAO

UN number or ID number: UN 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains TRINEXAPAC-ETHYL)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023

Version: 7.0

Date previous version: 29.07.2022

Previous version: 6.0

Date / First version: 24.11.2015

Product: **Medax Max**

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
List entry in regulation: E2

This product is classified under the European CLP Regulation.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023
 Date previous version: 29.07.2022
 Date / First version: 24.11.2015
 Product: **Medax Max**

Version: 7.0
 Previous version: 6.0

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
H411	Toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways.
 ATE = Acute Toxicity Estimates.
 CAO = Cargo Aircraft Only.
 CAS = Chemical Abstract Service.
 CLP = Classification, Labelling and Packaging of substances and mixtures.
 DIN = German national organization for standardization.
 DNEL = Derived No Effect Level.
 EC50 = Effective concentration median for 50% of the population.
 EC = European Community.
 EN = European Standards.
 IARC = International Agency for Research on Cancer.
 IATA = International Air Transport Association.
 IBC-Code = Intermediate Bulk Container code.
 IMDG = International Maritime Dangerous Goods Code.
 ISO = International Organization for Standardization.
 STEL = Short-Term Exposure Limit.
 LC50 = Lethal concentration median for 50% of the population.
 LD50 = Lethal dose median for 50% of the population.
 TLV = Threshold Limit Value.
 MARPOL = The International Convention for the Prevention of Pollution from Ships.
 NEN = Dutch Norm.
 NOEC = No Observed Effect Concentration.
 OEL = Occupational Exposure Limit.
 OECD = Organization for Economic Cooperation and Development.
 PBT = Persistent, Bioaccumulative and Toxic.
 PNEC = Predicted No Effect Level.
 PPM = Parts per million.
 RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 TWA = Time Weight Average.
 UN-number = UN number at transport.
 vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 14.03.2023

Version: 7.0

Date previous version: 29.07.2022

Previous version: 6.0

Date / First version: 24.11.2015

Product: **Medax Max**

(ID no. 30639190/SDS_CPA_GB/EN)

Date of print 14.03.2023

agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.