

Safety data sheet

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

Page: 1/18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PICONA

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

<u>Company:</u> BASF plc 4th and 5th Floors 2 Stockport Exchange Railway Road, Stockport, SK1 3GG UNITED KINGDOM

Telephone: +44 161 475 3000 E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Repr. 2 Aquatic Acute 1 H361d Suspected of damaging the unborn child. H400 Very toxic to aquatic life.

Internal

Page: 2/18 BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:



Signal Word: Warning

Hazard Statement: H361d H410 H400 EUH401	Suspected of damaging the unborn child. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life. To avoid risks to human health and the environment, comply with the instructions for use.	
Precautionary Statemen P101 P102	t: If medical advice is needed, have product container or label at hand. Keep out of reach of children.	
P103	Read carefully and follow all instructions.	
Precautionary Statements (Prevention):		
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P280	Wear protective gloves, protective clothing and eye protection or face protection.	
Precautionary Statements (Response):		
P308 + P313 P391	IF exposed or concerned: Get medical attention. Collect spillage.	
Precautionary Statements (Storage):		
P405	Store locked up.	
Precautionary Statements (Disposal):		
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.	
Labeling of special preparations (GHS):		

EUH208: May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

Page: 3/18
BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from
time to time.
Date / Revised: 29.06.2023 Version: 8.0
Date previous version: 19.10.2016 Previous version: 7.0
Date / First version: 27.05.2011
Product: PICONA

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

Hazard determining component(s) for labelling: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, herbicide, suspension concentrate (SC)

Hazardous ingredients (GHS)

pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Content (W/W): 28.83 % Repr. 2 (unborn child) CAS Number: 40487-42-1 Aquatic Acute 1 EC-Number: 254-938-2 Aquatic Chronic 1 INDEX-Number: 609-042-00-X M-factor acute: 100 M-factor chronic: 10 H361d, H400, H410

picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]-

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

Page: 4/18

Content (W/W): 1.44 % STOT RE (Thyroid gland, Blood) 2 Aquatic Acute 1 CAS Number: 137641-05-5 Aquatic Chronic 1 M-factor acute: 1000 M-factor chronic: 1000 H373, H400, H410 Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts Content (W/W): < 5 % Eye Dam./Irrit. 2 CAS Number: 68425-94-5 Aquatic Chronic 3 H319, H412 1,2-benzisothiazol-3(2H)-one Content (W/W): < 0.1 % Acute Tox. 4 (oral) CAS Number: 2634-33-5 Skin Corr./Irrit. 2 EC-Number: 220-120-9 Eve Dam./Irrit. 1 REACH registration number: 01-Skin Sens. 1 2120761540-60 Aquatic Acute 1 NDEX-Number: 613-088-00-6 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1 H318, H315, H302, H317, H400, H410 Specific concentration limit: Skin Sens. 1: >= 0.05 % Propane-1,2-diol Content (W/W): < 10 % CAS Number: 57-55-6 EC-Number: 200-338-0 REACH registration number: 01-2119456809-23 Silica gel, precipitated, crystalline free Content (W/W): < 5 % CAS Number: 112926-00-8 REACH registration number: 01-2119379499-16

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

Page: 5/18
BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from
time to time.
Date / Revised: 29.06.2023 Version: 8.0
Date previous version: 19.10.2016 Previous version: 7.0
Date / First version: 27.05.2011
Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Show container, label and/or safety data sheet to physician.

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, carbon dioxide, foam, dry powder

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, hydrogen fluoride, nitrogen oxides, sulfur oxides, silica compounds, halogenated compounds Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Page: 6/18 BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

> (ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: -5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 35 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

Page: 7/18
BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from
time to time.
Date / Revised: 29.06.2023 Version: 8.0
Date previous version: 19.10.2016 Previous version: 7.0
Date / First version: 27.05.2011
Product: PICONA

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol TWA value 474 mg/m3 ; 150 ppm (WEL/EH 40 (UK)), Total vapour and particulates TWA value 10 mg/m3 (WEL/EH 40 (UK)), Particulate 112926-00-8: Silica gel, precipitated, crystalline free TWA value 6 mg/m3 (WEL/EH 40 (UK)), Inhalable dust TWA value 2.4 mg/m3 (WEL/EH 40 (UK)), Respirable dust TWA value 10 mg/m3 (WEL/EH 40 (UK)), Inhalable dust TWA value 4 mg/m3 (WEL/EH 40 (UK)), Respirable dust

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

Page: 8/18 BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: Colour: Odour: Odour threshold:	liquid orange faint odour, nutty, aromatic	
pH value:	Not determined due to potential health hazard by inhalation. approx. 6.5 - 8.5 (20 °C)	
	(measured with the undiluted substance), The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	
Freezing point: Boiling point:	< 0 °C approx. 100 °C Information applies to the solvent.	
Flash point:	No flash point - Measurement made up to the boiling point.	(ISO 2719)
Evaporation rate:		
Flammability: Lower explosion limit:	not applicable not applicable	
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:		
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature: Vapour pressure:	380 °C approx. 23 hPa (20 °C)	(DIN EN 14522)
Density:	Information applies to the solvent. approx. 1.1 g/cm3 (20 °C) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	(OECD Guideline 109)
	•	

Page: 9/18 BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

Relative vapour density (air):		
	not applicable	
Solubility in water:	dispersible, The product has not	
-	been tested. The statement has been	
	derived from substances/products of	
	a similar structure or composition.	
Partitioning coefficient n-octanol/water (log Kow):		
	not applicable	
Thermal decomposition:	255 °C, 630 kJ/kg,	
	(onset temperature)	
	Not a substance liable to self-decompo	sition according to UN transport
	regulations, class 4.1.	
Viscosity, dynamic:	approx. 134 mPa.s	(OECD 114)
	(20 °C)	
	The product has not been tested.	
	The statement has been derived from	
	substances/products of a similar	
	structure or composition.	
Explosion hazard:	not explosive	
Fire promoting properties	Based on its structural properties	
	the product is not classified as	
	oxidizing.	
	-	

9.2. Other information

SADT: > 75 °C

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid: strong oxidizing agents, strong bases, strong acids

10.6. Hazardous decomposition products

Hazardous decomposition products:

Page: 10/18
BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from
time to time.
Date / Revised: 29.06.2023 Version: 8.0
Date previous version: 19.10.2016 Previous version: 7.0
Date / First version: 27.05.2011
Product: PICONA

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 3.75 mg/l 4 h (OECD Guideline 403) No mortality was observed. Highest concentration technically achievable. An aerosol was tested.

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402) No mortality was observed.

Irritation

Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant (Guideline 92/69/EEC, B.4)

Serious eye damage/irritation rabbit: non-irritant (Guideline 92/69/EEC, B.5)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: modified Buehler test guinea pig: Non-sensitizing. (Guideline 92/69/EEC, B.6)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Page: 11/18

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment of repeated dose toxicity:

No substance-specific organtoxicity was observed after repeated administration to animals. Adaptive effects were observed after repeated exposure in animal studies.

Page: 12/18

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

Information on: picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]-Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. Thyroid gland Damages blood cells.

Information on: Silica gel, precipitated, crystalline free Assessment of repeated dose toxicity: The substance may cause damage to the lung after repeated inhalation of high doses.

Aspiration hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish: LC50 (96 h) 4.08 mg/l, Oncorhynchus mykiss (OPP 72-1 (EPA-Guideline), Flow through.)

Aquatic invertebrates: EC50 (48 h) 9.81 mg/l, Daphnia magna (OPP 72-2 (EPA-guideline), static)

Aquatic plants: EC50 (72 h) 0.0299 mg/l (growth rate), Selenastrum capricornutum (OECD Guideline 201, static)

No observed effect concentration (72 h) 0.0017 mg/l, Selenastrum capricornutum

Chronic toxicity to fish: No observed effect concentration (28 d) 0.486 mg/l, Oncorhynchus mykiss

Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d) 0.00881 mg/l, Daphnia magna

12.2. Persistence and degradability

Page: 13/18

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Information on: picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]-Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Bioaccumulation potential:

Bioconcentration factor (BCF): 3,300 Based on a weight of evidence, the compound will not bioaccumulate.

Information on: picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]-Bioaccumulation potential:

Bioconcentration factor (BCF): 617 (28 d), Lepomis macrochirus Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment transport between environmental compartments: Volatility: The substance will slowly evaporate into the atmosphere from the water surface. Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]- Page: 14/18 BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number:
UN proper shipping name:UN3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains PENDIMETHALIN, PICOLINAFEN)Transport hazard class(es):9, EHSM
III

Page: 15/18

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

Environmental hazards: Special precautions for user:	yes None known
RID UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN, PICOLINAFEN) 9, EHSM III yes None known
Inland waterway transport ADN UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN, PICOLINAFEN) 9, EHSM III yes None known
<u>Transport in inland waterway</u> Not evaluated	<u>vessel</u>
<u>Sea transport</u>	
IMDG	
UN number or ID number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN, PICOLINAFEN)
Transport hazard class(es): Packing group: Environmental hazards:	9, EHSM III yes Marine pollutant: YES
Special precautions for user:	

Air transport

Page: 16/18

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

IATA/ICAO

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (contains PENDIMETHALIN, PICOLINAFEN)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for	None known
user:	

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

Page: 17/18
BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from
time to time.
Date / Revised: 29.06.2023 Version: 8.0
Date previous version: 19.10.2016 Previous version: 7.0
Date / First version: 27.05.2011
Product: PICONA

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

UK REACH SI, Annex XVII, Marketing and Use Restrictions Number on List: 3

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E1

This product is classified under the European CLP Regulation.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Repr.	Reproductive toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
STOT RE	Specific target organ toxicity — repeated exposure
Eye Dam./Irrit.	Serious eye damage/eye irritation
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization

Page: 18/18

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 29.06.2023 Version: 8.0 Date previous version: 19.10.2016 Previous version: 7.0 Date / First version: 27.05.2011 Product: **PICONA**

(ID no. 464167/SDS_CPA_GB/EN) Date of print 29.06.2023

H361d	Suspected of damaging the unborn child.
H410	Very toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H373	May cause damage to organs (Thyroid gland, Blood) through prolonged or repeated exposure.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.