

Safety data sheet

Page: 1/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 30.09.2015 Version: 1.0

Product: **TOPKAT**

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TOPKAT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide Recommended use: crop protection product, herbicide

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY

Telephone: +44 161 485-6222

 $\hbox{E-mail address: product-safety-north@basf.com}\\$

Contact address:
BASF plc
4th and 5th Floors, 2 Stockport
Exchange Railway Road, Stockport,
SK1 3GG UNITED KINGDOM

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

Date / Revised: 30.09.2015 Version: 1.0

Product: **TOPKAT**

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Skin Sens. 1 Eye Dam./Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1

H317, H319, H400, H410, EUH401

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:



Signal Word:

Warning

Hazard Statement:

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Precautionary Statements (Prevention):

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash with plenty of water and soap thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves and eye/face protection.

Precautionary Statements (Response):

P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333 + P311 If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician.

P337 + P311 If eye irritation persists: Call a POISON CENTER or doctor/physician.

Date / Revised: 30.09.2015 Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

P362 Take off contaminated clothing.

P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal

contractor or collection site except for empty clean containers which can be

disposed of as non-hazardous waste.

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: DIMETHENAMID-P

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, herbicide, Suspo-emulsion (SE)

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

Acetamide, 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(1S)-2-methoxy-1-methylethyl]-

Content (W/W): 29.5 % Acute Tox. 4 (oral)
CAS Number: 163515-14-8 Skin Sens. 1
Aquatic Acute 1

Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 1

H302, H317, H400, H410

Date / Revised: 30.09.2015 Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN) Date of print 05.01.2016

quinmerac

Content (W/W): 14.8 % Aquatic Chronic 3 H412

CAS Number: 90717-03-6

EC-Number: 402-790-6

REACH registration number: 010000015252-80

phenolsulfonic acid-formaldehyde-polycondensate as sodium salt

Content (W/W): < 5 % Eye Dam./Irrit. 2

Aquatic Chronic 3

H319, H412

Alcohols, C12-15, ethoxylated

Content (W/W): < 5 % Acute Tox. 4 (oral) CAS Number: 68131-39-5

Aquatic Acute 1

Eye Dam./Irrit. 1

H318, H302, H400

Propane-1,2-diol

Content (W/W): < 10 %

CAS Number: 57-55-6 EC-Number: 200-338-0

REACH registration number: 012119456809-23

polyethylene glycol

Content (W/W): < 5 % CAS Number: 25322-68-3

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

Date / Revised: 30.09.2015 Version: 1.0

Product: **TOPKAT**

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

SECTION 4: First-Aid Measures

4.1. Description of first aid measures Remove

contaminated clothing.

Show container, label and/or safety data sheet to physician.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

4.3. Indication of any immediate medical attention and special treatment needed Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media Suitable

extinguishing media:

carbon dioxide, dry powder, water spray, foam

5.2. Special hazards arising from the substance or mixture carbon monoxide, hydrogen chloride, Carbon dioxide, nitrogen oxides, organochloric compounds The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage

Date / Revised: 30.09.2015 Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

6.2. Environmental precautions

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Date / Revised: 30.09.2015 Version: 1.0

Product: **TOPKAT**

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

TWA value 10 mg/m3 (WEL/EH 40 (UK)), Particulate TWA value 474 mg/m3; 150 ppm (WEL/EH 40 (UK)), Total vapour and particulates

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

8.2. Exposure controls

Personal protective equipment Respiratory

protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

Date / Revised: 30.09.2015 Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: liquid

Colour: light brown

Odour: aromatic

Odour threshold:

Not determined due to potential health

hazard by inhalation.

pH value: approx. 3 - 5 (1

%(m), 20 °C)

Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point: (Regulation 440/2008/EC, A.9)

Non-flammable., No flash point -Measurement made up to pilot light

extinguishes.

Evaporation rate:

not applicable

Flammability: not flammable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the

intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the

intended use.

Ignition temperature: 454 °C (Regulation 440/2008/EC,

A.15)

Vapour pressure: approx. 23.4 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.13 g/cm3

(20 °C)

Date / Revised: 30.09.2015 Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

Relative vapour density (air): not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow): not applicable

Thermal decomposition: 70 °C, 10 kJ/kg,

(onset temperature)

165 °C, 80 kJ/kg, (onset temperature) 215 °C, 190 kJ/kg, (onset temperature) 475 °C, > 30 kJ/kg,

(onset temperature) Not a substance liable to self-decomposition

according to UN transport regulations, class 4.1.

Viscosity, dynamic: approx. 173 mPa.s

(20 °C, 100 1/s)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating (Regulation 440/2008/EC,

A.21)

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

Date / Revised: 30.09.2015 Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)
Date of print 05.01.2016

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 5 mg/l 4 h

No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402) No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Eye contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 30.09.2015

Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)
Date of print 05.01.2016

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Caused skin sensitization in animal studies. (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetamide, 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(1S)-2-methoxy-1-methylethyl]-Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Page: 12/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 30.09.2015 Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)
Date of print 05.01.2016

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) 19.8 mg/l, Oncorhynchus mykiss (static)

Aquatic invertebrates:

LC50 (48 h) 58.7 mg/l, Daphnia magna

Aquatic plants:

EC50 (72 h) 0.166 mg/l (growth rate), Pseudokirchneriella subcapitata

EC50 (7 d) 0.573 mg/l (growth rate), Lemna gibba (static)

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetamide, 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(1S)-2-methoxy-1-methylethyl]-Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Information on: 8-Quinolinecarboxylic acid, 7-chloro-3-methyl- Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 30.09.2015 Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

Information on: Acetamide, 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(1S)-2-methoxy-1-methylethyl]-Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: 8-Quinolinecarboxylic acid, 7-chloro-3-methyl- Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetamide, 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(1S)-2-methoxy-1-methylethyl]-Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: 8-Quinolinecarboxylic acid, 7-chloro-3-methyl- Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

Page: 14/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 30.09.2015

Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DIMETHENAMID-P)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Special precautions for Tunnel code: E user:

RID

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DIMETHENAMID-P)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes Special
precautions for None known user:

Page: 15/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 30.09.2015

Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)
Date of print 05.01.2016

Inland waterway transport ADN

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DIMETHENAMID-P)

Transport hazard class(es): 9, EHSM Packing group:

Environmental hazards: yes Special precautions for None known user:

Transport in inland Not evaluated waterway vessel:

Sea transport

IMDG

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DIMETHENAMID-P)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for None known user:

Air transport

IATA/ICAO

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DIMETHENAMID-P)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known user:

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 30.09.2015

Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)
Date of print 05.01.2016

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:
Shipment approved:
Pollution name:
Pollution category:
Not evaluated

Further information

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 29, 40

This product is classified under the European CLP Regulation.

Page: 17/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 30.09.2015

Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)
Date of print 05.01.2016

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Skin Sens. Skin sensitization

Eye Dam./Irrit. Serious eye damage/eye irritation

Aquatic Acute Hazardous to the aquatic environment - acute Aquatic Chronic Hazardous to the aquatic environment - chronic

Acute Tox. Acute toxicity

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eye damage.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Page: 18/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 30.09.2015

Version: 1.0

Product: TOPKAT

(ID no. 30654214/SDS_CPA_GB/EN)

Date of print 05.01.2016

Vertical lines in the left hand margin indicate an amendment from the previous version.