

# Safety data sheet

Page: 1/20

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 21.08.2014

Version: 3.0

Product: **SWING GOLD**

(ID no. 30276267/SDS\_CPA\_GB/EN)

Date of print 23.08.2014

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## SWING GOLD

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

### 1.3. Details of the supplier of the safety data sheet

Company:  
BASF SE  
67056 Ludwigshafen  
GERMANY

Contact address:  
BASF plc  
PO Box 4, Earl Road, Cheadle Hulme,  
Cheadle, Cheshire  
SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222  
E-mail address: product-safety-north@basf.com

### 1.4. Emergency telephone number

International emergency number:  
Telephone: +49 180 2273-112

---

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (Inhalation - vapour)  
Acute Tox. 4 (oral)  
Skin Sens. 1

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 21.08.2014

Version: 3.0

Product: **SWING GOLD**

(ID no. 30276267/SDS\_CPA\_GB/EN)

Date of print 23.08.2014

| Carc. 2  
| Repr. 1B  
| Aquatic Acute 1  
| Aquatic Chronic 1

According to Directive 67/548/EEC or 1999/45/EC

Carc. Cat. 3

| Repr. Cat. 2

Repr. Cat. 3

Possible Hazards:

Harmful by inhalation and if swallowed.

Limited evidence of a carcinogenic effect.

May cause sensitization by skin contact.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

May cause harm to the unborn child.

For the classifications not written out in full in this section the full text can be found in section 16.

## 2.2. Label elements

Globally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:



Signal Word:

Danger

Hazard Statement:

H332	Harmful if inhaled.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.
H351	Suspected of causing cancer.
H360Df	May damage the unborn child. Suspected of damaging fertility.

Precautionary Statements (Prevention):

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 21.08.2014

Version: 3.0

Product: **SWING GOLD**

(ID no. 30276267/SDS\_CPA\_GB/EN)

Date of print 23.08.2014

P280	Wear protective gloves/clothing/eye protection.
P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe mist or vapour.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

## Precautionary Statements (Response):

P308 + P311	IF exposed or concerned: Call a POISON CENTER or doctor/physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P352	IF ON SKIN (on hair): Wash with plenty of soap and water.
P333 + P311	If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician.
P301 + P330	IF SWALLOWED: rinse mouth.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash before reuse.

## Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

## Precautionary Statements (Disposal):

P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.
------	---

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: DIMOXYSTROBINE, EPOXICONAZOLE, ALCOHOLS, ETHOXYLATED, PROPOXYLATED

According to Directive 67/548/EEC or 1999/45/EC

Classification/labelling in accordance with UK regulations.

## Hazard symbol(s)

N Dangerous for the environment.



T Toxic.



## R-phrases(s)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 21.08.2014

Version: 3.0

Product: **SWING GOLD**

(ID no. 30276267/SDS\_CPA\_GB/EN)

Date of print 23.08.2014

R20/22	Harmful by inhalation and if swallowed.
R40	Limited evidence of a carcinogenic effect.
R43	May cause sensitization by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R61	May cause harm to the unborn child.
S-phrase(s)	
S2	Keep out of the reach of children.
S13	Keep away from food, drink and animal feeding stuffs.
S20/21	When using do not eat, drink or smoke.
S35	This material and its container must be disposed of in a safe way.
S36/37	Wear suitable protective clothing and gloves.
S46	If swallowed, seek medical advice immediately and show this container or label.
S57	Use appropriate container to avoid environmental contamination.

Hazard determining component(s) for labelling: DIMOXYSTROBINE, EPOXICONAZOLE, ALCOHOLS, ETHOXYLATED, PROPOXYLATED

### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

---

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

dimoxystrobin (ISO); (E)-2-(methoxyimino)-N-methyl-2-[.alpha.-(2,5-xylyloxy)-o-tolyl]acetamide

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 21.08.2014

Version: 3.0

Product: **SWING GOLD**

(ID no. 30276267/SDS\_CPA\_GB/EN)

Date of print 23.08.2014

Content (W/W): 12.5 %	Acute Tox. 4 (Inhalation - dust)
CAS Number: 149961-52-4	Carc. 2
INDEX-Number: 616-164-00-7	Repr. 2 (unborn child)
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 10
	M-factor chronic: 10
	H332, H351, H361d, H400, H410

Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Content (W/W): 4.7 %	Carc. 2
CAS Number: 133855-98-8	Repr. 1B
EC-Number: 406-850-2	Aquatic Chronic 2
INDEX-Number: 613-175-00-9	H351, H360Df, H411

phenolsulfonic acid-formaldehyde-polycondensate as sodium salt (polymer; starting materials listed in EINECS)

Content (W/W): < 20 %	Aquatic Chronic 3
	H412

fatty alcohol ethoxylate

Content (W/W): < 15 %	Acute Tox. 2 (Inhalation - mist)
CAS Number: 68002-96-0	Aquatic Acute 1
	H330, H400

Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified

Content (W/W): < 10 %	Asp. Tox. 1
CAS Number: 64742-94-5	Skin Corr./Irrit. 2
EC-Number: 265-198-5	STOT SE 3 (drowsiness and dizziness)
REACH registration number: 01-2119510128-50	Aquatic Chronic 2
INDEX-Number: 649-424-00-3	H315, H304, H336, H411

naphthalene

Content (W/W): < 0.5 %	Acute Tox. 4 (oral)
CAS Number: 91-20-3	Carc. 2
EC-Number: 202-049-5	Aquatic Acute 1
INDEX-Number: 601-052-00-2	Aquatic Chronic 1
	H302, H351, H400, H410
	M-factor acute: 1
	M-factor chronic: 1

## Propane-1,2-diol

Content (W/W): < 50 %  
CAS Number: 57-55-6  
EC-Number: 200-338-0  
REACH registration number: 01-  
2119456809-23

Hazardous ingredients

according to Directive 1999/45/EC

dimoxystrobin (ISO); (E)-2-(methoxyimino)-N-methyl-2-[.alpha.-(2,5-xylyloxy)-o-tolyl]acetamide

Content (W/W): 12.5 %  
CAS Number: 149961-52-4  
INDEX-Number: 616-164-00-7  
Hazard symbol(s): Xn, N  
R-phrases: 20, 40, 63, 50/53  
Carc. Cat. 3  
Repr. Cat. 3

Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Content (W/W): 4.7 %  
CAS Number: 133855-98-8  
EC-Number: 406-850-2  
INDEX-Number: 613-175-00-9  
Hazard symbol(s): T, N  
R-phrases: 40, 61, 62, 51/53  
Carc. Cat. 3  
Repr. Cat. 2  
Repr. Cat. 3

phenolsulfonic acid-formaldehyde-polycondensate as sodium salt (polymer; starting materials listed in EINECS)

Content (W/W): < 20 %  
R-phrases: 52/53

fatty alcohol ethoxylate

Content (W/W): < 15 %  
CAS Number: 68002-96-0  
Hazard symbol(s): T, N  
R-phrases: 23, 50

Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified

Content (W/W): < 10 %  
CAS Number: 64742-94-5  
EC-Number: 265-198-5  
REACH registration number: 01-2119510128-50  
INDEX-Number: 649-424-00-3  
Hazard symbol(s): Xn, N, Xi  
R-phrases: 38, 51/53, 65

## naphthalene

Content (W/W): < 0.5 %  
CAS Number: 91-20-3  
EC-Number: 202-049-5  
INDEX-Number: 601-052-00-2  
Hazard symbol(s): Xn, N  
R-phrases: 22, 40, 50/53  
Carc. Cat. 3

## Propane-1,2-diol

Content (W/W): < 50 %  
CAS Number: 57-55-6  
EC-Number: 200-338-0  
REACH registration number: 01-2119456809-23

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

---

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

Show container, label and/or safety data sheet to physician.

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing media

Suitable extinguishing media:

| water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

| water jet

### 5.2. Special hazards arising from the substance or mixture

carbon monoxide, hydrogen fluoride, hydrogen chloride, Carbon dioxide, nitrogen oxides, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

### 5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

---

## SECTION 6: Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### 6.2. Environmental precautions

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

### 6.3. Methods and material for containment and cleaning up

| For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

| For large amounts: Dike spillage. Pump off product.

| Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Dispose of absorbed material in accordance with regulations. Wear suitable protective equipment.

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.



---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

TWA value 10 mg/m<sup>3</sup> (WEL/EH 40 (UK)), Particulate

TWA value 474 mg/m<sup>3</sup> ; 150 ppm (WEL/EH 40 (UK)), Total vapour and particulates

133855-98-8: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

TWA value 0.3 mg/m<sup>3</sup> (Recommendation of BASF), Respirable dust

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

### 8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

**Hand protection:**

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other

**Eye protection:**

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

**Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

**General safety and hygiene measures**

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

---

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Form:	suspension	
Colour:	white	
Odour:	moderate odour, faintly aromatic	
Odour threshold:	Not determined since harmful by inhalation.	
pH value:	approx. 6.5 - 8.5 (approx. 25 °C) (measured with the undiluted substance)	(pH Meter)
crystallization temperature:	-10 °C	
Boiling point:	approx. 100 °C Information applies to the solvent.	(measured)
Flash point:	No flash point - Measurement made up to the boiling point.	
Evaporation rate:	not applicable	
Flammability:	not flammable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 21.08.2014

Version: 3.0

Product: **SWING GOLD**

(ID no. 30276267/SDS\_CPA\_GB/EN)

Date of print 23.08.2014

Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	440 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 23 hPa (20 °C)	
Density:	Information applies to the solvent. approx. 1.06 g/cm <sup>3</sup> (20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	approx. 78 mPa.s (20 °C, 100 1/s)	(OECD 114)
Explosion hazard:	Based on the chemical structure there is no indicating of explosive properties.	
Fire promoting properties:	not fire-propagating	(Directive 2004/73/EC, A.21)

## 9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): 1,421 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): approx. > 1 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

#### Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rat: non-irritant (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Caused skin sensitization in animal studies. (OECD Guideline 429)

#### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

#### Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

**Information on: dimoxystrobin (ISO); (E)-2-(methoxyimino)-N-methyl-2-[.alpha.-(2,5-xylyloxy)-o-tolyl]acetamide**

#### Assessment of carcinogenicity:

**Indication of possible carcinogenic effect in animal tests.**

**Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane**

#### Assessment of carcinogenicity:

**Indication of possible carcinogenic effect in animal tests.**

**Information on: Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified**

#### Assessment of carcinogenicity:

**Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.**

### Reproductive toxicity

#### Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

**Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane**

#### Assessment of reproduction toxicity:

**The results of animal studies suggest a fertility impairing effect.**

### Developmental toxicity

#### Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

**Information on: dimoxystrobin (ISO); (E)-2-(methoxyimino)-N-methyl-2-[.alpha.-(2,5-xylyloxy)-o-tolyl]acetamide**

#### Assessment of teratogenicity:

**Indications of possible developmental toxicity/teratogenicity were seen in animal studies.**

**Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane**

#### Assessment of teratogenicity:

**EU-classification** *The substance caused malformations/developmental toxicity in laboratory animals.*

*Indications of possible developmental toxicity/teratogenicity were seen in animal studies.*  
 -----

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

**Information on:** *dimoxystrobin (ISO); (E)-2-(methoxyimino)-N-methyl-2-[.alpha.-(2,5-xylyloxy)-o-tolyl]acetamide*

**Assessment of repeated dose toxicity:**

**Adaptive effects were observed after repeated exposure in animal studies.**

**Information on:** *Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane*

**Assessment of repeated dose toxicity:**

**Repeated exposure to large quantities may affect certain organs.**  
 -----

#### Other relevant toxicity information

Misuse can be harmful to health.

## **SECTION 12: Ecological Information**

### **12.1. Toxicity**

Assessment of aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) > 0.147 - < 0.215 mg/l, *Oncorhynchus mykiss* (EPA 72-1, static)

Aquatic invertebrates:

EC50 (48 h) 0.55 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 0.438 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

### **12.2. Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

**Information on:** *dimoxystrobin (ISO); (E)-2-(methoxyimino)-N-methyl-2-[.alpha.-(2,5-xylyloxy)-o-tolyl]acetamide*

*Assessment biodegradation and elimination (H<sub>2</sub>O):  
Not readily biodegradable (by OECD criteria).*

*Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane*

*Assessment biodegradation and elimination (H<sub>2</sub>O):  
Not readily biodegradable (by OECD criteria).*

-----

### 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: dimoxystrobin (ISO); (E)-2-(methoxyimino)-N-methyl-2-[.alpha.-(2,5-xylyloxy)-o-tolyl]acetamide*

*Bioaccumulation potential:*

*Bioconcentration factor: 48, Oncorhynchus sp.*

*Does not accumulate in organisms.*

*Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane*

*Bioaccumulation potential:*

*Bioconcentration factor: 59 - 70, Oncorhynchus mykiss (OECD-Guideline 305)*

*Does not accumulate in organisms.*

-----

### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: dimoxystrobin (ISO); (E)-2-(methoxyimino)-N-methyl-2-[.alpha.-(2,5-xylyloxy)-o-tolyl]acetamide*

*Assessment transport between environmental compartments:*

*Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane*

*Assessment transport between environmental compartments:*

*Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

-----

### 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

## 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## 12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## SECTION 14: Transport Information

### Land transport

ADR

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMOXYSTROBINE, EPOXICONAZOLE, SOLVENT NAPHTHA)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	Tunnel code: E

RID

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMOXYSTROBINE, EPOXICONAZOLE,



---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 21.08.2014

Version: 3.0

Product: **SWING GOLD**

(ID no. 30276267/SDS\_CPA\_GB/EN)

Date of print 23.08.2014

---

SOLVENT NAPHTHA)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

**Inland waterway transport**

ADN

UN number: UN3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMOXYSTROBINE, EPOXICONAZOLE, SOLVENT NAPHTHA)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known  
Transport in inland waterway vessel: Not evaluated

**Sea transport**

IMDG

UN number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMOXYSTROBINE, EPOXICONAZOLE, SOLVENT NAPHTHA)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Marine pollutant: YES  
Special precautions for user: None known

**Air transport**

IATA/ICAO

UN number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMOXYSTROBINE, EPOXICONAZOLE, SOLVENT NAPHTHA)  
Transport hazard class(es): 9, EHSM  
Packing group: III

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 21.08.2014

Version: 3.0

Product: **SWING GOLD**

(ID no. 30276267/SDS\_CPA\_GB/EN)

Date of print 23.08.2014

Environmental hazards:       yes  
Special precautions for       None known  
user:

#### **14.1. UN number**

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### **14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### **14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### **14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### **14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### **14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Regulation:                   Not evaluated  
Shipment approved:       Not evaluated  
Pollution name:           Not evaluated  
Pollution category:       Not evaluated  
Ship Type:                   Not evaluated

#### **Further information**

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

---

## **SECTION 15: Regulatory Information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

To avoid risks to man and the environment, comply with the instructions for use.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

## 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

## SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xn	Harmful.
N	Dangerous for the environment.
T	Toxic.
Xi	Irritant.
20	Harmful by inhalation.
40	Limited evidence of a carcinogenic effect.
63	Possible risk of harm to the unborn child.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
61	May cause harm to the unborn child.
62	Possible risk of impaired fertility.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
23	Toxic by inhalation.
50	Very toxic to aquatic organisms.
38	Irritating to skin.
65	Also harmful: may cause lung damage if swallowed.
22	Harmful if swallowed.
Acute Tox.	Acute toxicity
Skin Sens.	Skin sensitization
Carc.	Carcinogenicity
Repr.	Reproductive toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Asp. Tox.	Aspiration hazard
Skin Corr./Irrit.	Skin corrosion/irritation
STOT SE	Specific target organ toxicity — single exposure
Carc. Cat. 3	Carcinogenic substances Category 3: Substances which cause concern

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 21.08.2014

Version: 3.0

Product: **SWING GOLD**

(ID no. 30276267/SDS\_CPA\_GB/EN)

Date of print 23.08.2014

	for man owing to possible carcinogenic effects.
Repr. Cat. 2	Reprotoxic substances (fertility or development) Category 2: Substances which should be regarded as if they cause developmental toxicity to in humans or substances which should be regarded as if they impair fertility in humans.
Repr. Cat. 3	Reprotoxic substances (fertility or development) Category 3: Substances which cause concern for humans owing to possible developmental toxic effects or substances which cause concern for human fertility.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H330	Fatal if inhaled.
H315	Causes skin irritation.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H302	Harmful if swallowed.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: [product-safety-north@basf.com](mailto:product-safety-north@basf.com)

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.